

```

Aug  1 00:00:18 syslogd started: BusyBox v1.25.1
Aug  1 00:00:18 kernel: klogd started: BusyBox v1.25.1 (2017-10-04 15:01:12 EDT)
Aug  1 00:00:18 kernel: Linux version 2.6.36.4brcmarm (merlin@ubuntu-dev) (gcc
version 4.5.3 (Buildroot 2012.02) ) #2 SMP PREEMPT Wed Oct 4 15:10:22 EDT 2017
Aug  1 00:00:18 kernel: CPU: ARMv7 Processor [413fc090] revision 0 (ARMv7),
cr=10c53c7f
Aug  1 00:00:18 kernel: CPU: VIPT nonaliasing data cache, VIPT nonaliasing
instruction cache
Aug  1 00:00:18 kernel: Machine: Northstar Prototype
Aug  1 00:00:18 kernel: Ignoring unrecognised tag 0x00000000
Aug  1 00:00:18 kernel: bootconsole [earlycon0] enabled
Aug  1 00:00:18 kernel: Memory policy: ECC disabled, Data cache writealloc
Aug  1 00:00:18 kernel: MPCORE found at 19020000
Aug  1 00:00:18 kernel: PERCPU: Embedded 7 pages/cpu @c8215000 s5472 r8192 d15008
u65536
Aug  1 00:00:18 kernel: pcpu-alloc: s5472 r8192 d15008 u65536 alloc=16*4096
Aug  1 00:00:18 kernel: pcpu-alloc: [0] 0 [0] 1
Aug  1 00:00:18 kernel: Built 1 zonelists in Zone order, mobility grouping on.
Total pages: 60416
Aug  1 00:00:18 kernel: Kernel command line: root=/dev/mtdblock2
console=ttyS0,115200 init=/sbin/preinit earlyprintk debug
Aug  1 00:00:18 kernel: PID hash table entries: 1024 (order: 0, 4096 bytes)
Aug  1 00:00:18 kernel: Dentry cache hash table entries: 32768 (order: 5, 131072
bytes)
Aug  1 00:00:18 kernel: Inode-cache hash table entries: 16384 (order: 4, 65536
bytes)
Aug  1 00:00:18 kernel: Memory: 128MB 128MB = 256MB total
Aug  1 00:00:18 kernel: Memory: 255496k/255496k available, 6648k reserved, 0K
highmem
Aug  1 00:00:18 kernel: Virtual kernel memory layout:
Aug  1 00:00:18 kernel:     vector : 0xfffff0000 - 0xfffff1000   (   4 kB)
Aug  1 00:00:18 kernel:     fixmap : 0xffff00000 - 0xffffe0000   ( 896 kB)
Aug  1 00:00:18 kernel:     DMA    : 0xf7e000000 - 0xffe000000   ( 128 MB)
Aug  1 00:00:18 kernel:     vmalloc : 0xd08000000 - 0xf00000000   ( 504 MB)
Aug  1 00:00:18 kernel:     lowmem  : 0xc00000000 - 0xd00000000   ( 256 MB)
Aug  1 00:00:18 kernel:     modules : 0xbf0000000 - 0xc00000000   (   16 MB)
Aug  1 00:00:18 kernel:     .init   : 0xc00080000 - 0xc003d0000   (  212 kB)
Aug  1 00:00:18 kernel:     .text   : 0xc003d0000 - 0xc03a90000   (3504 kB)
Aug  1 00:00:18 kernel:     .data   : 0xc03c00000 - 0xc03e32e00   (  141 kB)
Aug  1 00:00:18 kernel: SLUB: Genslabs=11, HWalgn=32, Order=0-3, MinObjects=0,
CPUs=2, Nodes=1
Aug  1 00:00:18 kernel: Hierarchical RCU implementation.
Aug  1 00:00:18 kernel:           RCU-based detection of stalled CPUs is disabled.
Aug  1 00:00:18 kernel:           Verbose stalled-CPU detection is disabled.
Aug  1 00:00:18 kernel: NR_IRQS:256
Aug  1 00:00:18 kernel: MPCORE GIC init
Aug  1 00:00:18 kernel: External imprecise Data abort at addr=0x0, fsr=0x1c06
ignored.
Aug  1 00:00:18 kernel: MPCORE Global Timer Clock 4000000000Hz
Aug  1 00:00:18 kernel: Calibrating delay loop... 1599.07 BogoMIPS (lpj=7995392)
Aug  1 00:00:18 kernel: pid_max: default: 32768 minimum: 301
Aug  1 00:00:18 kernel: Mount-cache hash table entries: 512
Aug  1 00:00:18 kernel: CPU: Testing write buffer coherency: ok
Aug  1 00:00:18 kernel: MPCORE Private timer setup CPU0
Aug  1 00:00:18 kernel: Calibrating local timer... 399.835MHz.
Aug  1 00:00:18 kernel: L310: cache controller enabled 16 ways, CACHE_ID
0x410000c8, AUX_CTRL 0x7a130000
Aug  1 00:00:18 kernel: CPU1: Booted secondary processor
Aug  1 00:00:18 kernel: MPCORE Private timer setup CPU1

```

```

Aug 1 00:00:18 kernel: Brought up 2 CPUs
Aug 1 00:00:18 kernel: SMP: Total of 2 processors activated (3194.88 BogomIPS).
Aug 1 00:00:18 kernel: devtmpfs: initialized
Aug 1 00:00:18 kernel: atomic64 test passed
Aug 1 00:00:18 kernel: NET: Registered protocol family 16
Aug 1 00:00:18 kernel: Found a AMD NAND flash:
Aug 1 00:00:18 kernel: Total size: 128MB
Aug 1 00:00:18 kernel: Block size: 128KB
Aug 1 00:00:18 kernel: Page Size: 2048B
Aug 1 00:00:18 kernel: OOB Size: 64B
Aug 1 00:00:18 kernel: Sector size: 512B
Aug 1 00:00:18 kernel: Spare size: 16B
Aug 1 00:00:18 kernel: ECC level: 8 (8-bit)
Aug 1 00:00:18 kernel: Device ID: 0x 1 0xf1 0x 0 0x1d 0x 1 0xf1
Aug 1 00:00:18 kernel: CCA UART Clock Config: Sel=1 Ovr=1 Div=48
Aug 1 00:00:18 kernel: CCA UART Clock rate 100000000Hz
Aug 1 00:00:18 kernel: bio: create slab <bio-0> at 0
Aug 1 00:00:18 kernel: Switching to clocksource mpcore_gtimer
Aug 1 00:00:18 kernel: NET: Registered protocol family 2
Aug 1 00:00:18 kernel: IP route cache hash table entries: 2048 (order: 1, 8192
bytes)
Aug 1 00:00:18 kernel: TCP established hash table entries: 8192 (order: 4, 65536
bytes)
Aug 1 00:00:18 kernel: TCP bind hash table entries: 8192 (order: 4, 98304 bytes)
Aug 1 00:00:18 kernel: TCP: Hash tables configured (established 8192 bind 8192)
Aug 1 00:00:18 kernel: TCP reno registered
Aug 1 00:00:18 kernel: UDP hash table entries: 128 (order: 0, 4096 bytes)
Aug 1 00:00:18 kernel: UDP-Lite hash table entries: 128 (order: 0, 4096 bytes)
Aug 1 00:00:18 kernel: NET: Registered protocol family 1
Aug 1 00:00:18 kernel: PCI: no core
Aug 1 00:00:18 kernel: PCI: no core
Aug 1 00:00:18 kernel: PCI: scanning bus 0
Aug 1 00:00:18 kernel: PCI: Fixing up bus 0
Aug 1 00:00:18 kernel: PCIE1 link=1
Aug 1 00:00:18 kernel: PCIE1 switching to GEN2
Aug 1 00:00:18 kernel: PCIE1 link=1
Aug 1 00:00:18 kernel: PCI: Fixing up bus 0
Aug 1 00:00:18 kernel: PCI: bus0: Fast back to back transfers disabled
Aug 1 00:00:18 kernel: PCI: Fixing up bus 1
Aug 1 00:00:18 kernel: PCI: bus1: Fast back to back transfers disabled
Aug 1 00:00:18 kernel: pci 0001:00:00.0: BAR 8: assigned [mem 0x08000000-
0x080fffff]
Aug 1 00:00:18 kernel: pci 0001:01:00.0: BAR 0: assigned [mem 0x08000000-
0x08007fff 64bit]
Aug 1 00:00:18 kernel: pci 0001:01:00.0: BAR 0: set to [mem 0x08000000-0x08007fff
64bit] (PCI address [0x8000000-0x8007fff])
Aug 1 00:00:18 kernel: pci 0001:00:00.0: PCI bridge to [bus 01-01]
Aug 1 00:00:18 kernel: pci 0001:00:00.0: bridge window [io disabled]
Aug 1 00:00:18 kernel: pci 0001:00:00.0: bridge window [mem 0x08000000-
0x080fffff]
Aug 1 00:00:18 kernel: pci 0001:00:00.0: bridge window [mem pref disabled]
Aug 1 00:00:18 kernel: PCIE2 link=1
Aug 1 00:00:18 kernel: PCIE2 switching to GEN2
Aug 1 00:00:18 kernel: PCIE2 link=1
Aug 1 00:00:18 kernel: PCI: Fixing up bus 0
Aug 1 00:00:18 kernel: PCI: bus0: Fast back to back transfers disabled
Aug 1 00:00:18 kernel: PCI: Fixing up bus 2
Aug 1 00:00:18 kernel: PCI: bus2: Fast back to back transfers disabled
Aug 1 00:00:18 kernel: pci 0002:00:00.0: BAR 8: assigned [mem 0x40000000-

```

```

0x400fffff]
Aug 1 00:00:18 kernel: pci 0002:02:00.0: BAR 0: assigned [mem 0x40000000-
0x40007fff 64bit]
Aug 1 00:00:18 kernel: pci 0002:02:00.0: BAR 0: set to [mem 0x40000000-0x40007fff
64bit] (PCI address [0x40000000-0x40007fff]
Aug 1 00:00:18 kernel: pci 0002:00:00.0: PCI bridge to [bus 02-02]
Aug 1 00:00:18 kernel: pci 0002:00:00.0: bridge window [io disabled]
Aug 1 00:00:18 kernel: pci 0002:00:00.0: bridge window [mem 0x40000000-
0x400fffff]
Aug 1 00:00:18 kernel: pci 0002:00:00.0: bridge window [mem pref disabled]
Aug 1 00:00:18 kernel: PCIE3 link=0
Aug 1 00:00:18 kernel: VFS: Disk quotas dquot_6.5.2
Aug 1 00:00:18 kernel: Dquot-cache hash table entries: 1024 (order 0, 4096 bytes)
Aug 1 00:00:18 kernel: squashfs: version 4.0 (2009/01/31) Phillip Lougher
Aug 1 00:00:18 kernel: fuse init (API version 7.15)
Aug 1 00:00:18 kernel: msgmni has been set to 499
Aug 1 00:00:18 kernel: io scheduler noop registered (default)
Aug 1 00:00:18 kernel: io scheduler deadline registered
Aug 1 00:00:18 kernel: io scheduler cfq registered
Aug 1 00:00:18 kernel: Serial: 8250/16550 driver, 2 ports, IRQ sharing disabled
Aug 1 00:00:18 kernel: serial8250.0: ttyS0 at MMIO 0x18000300 (irq = 117) is a
16550
Aug 1 00:00:18 kernel: console [ttyS0] enabled, bootconsole disabled
Aug 1 00:00:18 kernel: serial8250.0: ttyS1 at MMIO 0x18000400 (irq = 117) is a
16550
Aug 1 00:00:18 kernel: brd: module loaded
Aug 1 00:00:18 kernel: loop: module loaded
Aug 1 00:00:18 kernel: pflash: found no supported devices
Aug 1 00:00:18 kernel: bcmsflash: found no supported devices
Aug 1 00:00:18 kernel: Boot partition size = 524288(0x80000)
Aug 1 00:00:18 kernel: lookup_nflash_rootfs_offset: offset = 0x200000
Aug 1 00:00:18 kernel: nflash: squash filesystem with lzma found at block 28
Aug 1 00:00:18 kernel: Creating 4 MTD partitions on "nflash":
Aug 1 00:00:18 kernel: 0x00000000000000-0x00000000800000 : "boot"
Aug 1 00:00:18 kernel: 0x00000000800000-0x00000002000000 : "nvram"
Aug 1 00:00:18 kernel: 0x00000002000000-0x00000004000000 : "linux"
Aug 1 00:00:18 kernel: 0x000000039d5d4-0x00000004000000 : "rootfs"
Aug 1 00:00:18 kernel: PPP generic driver version 2.4.2
Aug 1 00:00:18 kernel: PPP MPPE Compression module registered
Aug 1 00:00:18 kernel: NET: Registered protocol family 24
Aug 1 00:00:18 kernel: PPTP driver version 0.8.5
Aug 1 00:00:18 kernel: Mirror/redirect action on
Aug 1 00:00:18 kernel: u32 classifier
Aug 1 00:00:18 kernel: Actions configured
Aug 1 00:00:18 kernel: Netfilter messages via NETLINK v0.30.
Aug 1 00:00:18 kernel: nf_conntrack version 0.5.0 (3992 buckets, 15968 max)
Aug 1 00:00:18 kernel: xt_time: kernel timezone is -0000
Aug 1 00:00:18 kernel: ip_tables: (C) 2000-2006 Netfilter Core Team
Aug 1 00:00:18 kernel: TCP cubic registered
Aug 1 00:00:18 kernel: NET: Registered protocol family 10
Aug 1 00:00:18 kernel: ip6_tables: (C) 2000-2006 Netfilter Core Team
Aug 1 00:00:18 kernel: NET: Registered protocol family 17
Aug 1 00:00:18 kernel: L2TP core driver, V2.0
Aug 1 00:00:18 kernel: PPPoL2TP kernel driver, V2.0
Aug 1 00:00:18 kernel: 802.1Q VLAN Support v1.8 Ben Greear
<greearb@candelatech.com>
Aug 1 00:00:18 kernel: All bugs added by David S. Miller <davem@redhat.com>
Aug 1 00:00:18 kernel: Registering the dns_resolver key type
Aug 1 00:00:18 kernel:

```

Northstar brcmnand NAND Flash Controller driver, Version 0.1 (c) Broadcom Inc.

2012

Aug 1 00:00:18 kernel: NAND device: Manufacturer ID: 0x01, Chip ID: 0xf1 (AMD NAND 128MiB 3,3V 8-bit)

Aug 1 00:00:18 kernel: Spare area=64 eccbytes 56, ecc bytes located at:

Aug 1 00:00:18 kernel: 2 3 4 5 6 7 8 9 10 11 12 13 14 15 18 19 20 21 22 23 24 25
26 27 28 29 30 31 34 35 36 37 38 39 40 41 42 43 44 45 46 47 50 51 52 53 54 55 56 57
58 59 60 61 62 63

Aug 1 00:00:18 kernel: Available 7 bytes at (off,len):

Aug 1 00:00:18 kernel: (1,1) (16,2) (32,2) (48,2) (0,0) (0,0) (0,0) (0,0)

Aug 1 00:00:18 kernel: Scanning device for bad blocks

Aug 1 00:00:18 kernel: Bad eraseblock 653 at 0x0000051a0000

Aug 1 00:00:18 kernel: Options: NO_AUTOINCR,NO_READRDY,BBT_SCAN2NDPAGE,

Aug 1 00:00:18 kernel: Creating 2 MTD partitions on "brcmnand":

Aug 1 00:00:18 kernel: 0x000004000000-0x000007ec0000 : "brcmnand"

Aug 1 00:00:18 kernel: 0x000007ec0000-0x000008000000 : "asus"

Aug 1 00:00:18 kernel: VFS: Mounted root (squashfs filesystem) readonly on device 31:3.

Aug 1 00:00:18 kernel: devtmpfs: mounted

Aug 1 00:00:18 kernel: Freeing init memory: 212K

Aug 1 00:00:18 kernel: et: module license 'Proprietary' taints kernel.

Aug 1 00:00:18 kernel: Disabling lock debugging due to kernel taint

Aug 1 00:00:18 kernel: et_module_init: passivemode set to 0x0

Aug 1 00:00:18 kernel: et_module_init: txworkq set to 0x0

Aug 1 00:00:18 kernel: et_module_init: et_txq_thresh set to 0xce4

Aug 1 00:00:18 kernel: aux0: Broadcom BCM47XX 10/100/1000 Mbps Ethernet Controller 6.37.14.126 (r561982)

Aug 1 00:00:18 kernel: eth0: Broadcom BCM47XX 10/100/1000 Mbps Ethernet Controller 6.37.14.126 (r561982)

Aug 1 00:00:18 kernel: Attempt to kill tasklet from interrupt

Aug 1 00:00:18 kernel: Attempt to kill tasklet from interrupt

Aug 1 00:00:18 kernel: et_module_init: passivemode set to 0x0

Aug 1 00:00:18 kernel: et_module_init: txworkq set to 0x0

Aug 1 00:00:18 kernel: et_module_init: et_txq_thresh set to 0xce4

Aug 1 00:00:18 kernel: eth0: Broadcom BCM47XX 10/100/1000 Mbps Ethernet Controller 6.37.14.126 (r561982)

Aug 1 00:00:18 kernel: wl_module_init: passivemode set to 0x0

Aug 1 00:00:18 kernel: wl_module_init: igs set to 0x0

Aug 1 00:00:18 kernel: wl_module_init: txworkq set to 0x0

Aug 1 00:00:18 kernel: eth1: Broadcom BCM4360 802.11 Wireless Controller 6.37.14.126 (r561982)

Aug 1 00:00:19 kernel: device vlan1 entered promiscuous mode

Aug 1 00:00:19 kernel: device eth0 entered promiscuous mode

Aug 1 00:00:19 kernel: device eth1 entered promiscuous mode

Aug 1 00:00:19 kernel: device eth2 entered promiscuous mode

Aug 1 00:00:19 kernel: br0: topology change detected, propagating

Aug 1 00:00:19 kernel: br0: port 3(eth2) entering forwarding state

Aug 1 00:00:19 kernel: br0: port 3(eth2) entering forwarding state

Aug 1 00:00:19 kernel: br0: topology change detected, propagating

Aug 1 00:00:19 kernel: br0: port 2(eth1) entering forwarding state

Aug 1 00:00:19 kernel: br0: port 2(eth1) entering forwarding state

Aug 1 00:00:19 kernel: br0: topology change detected, propagating

Aug 1 00:00:19 kernel: br0: port 1(vlan1) entering forwarding state

Aug 1 00:00:19 kernel: br0: port 1(vlan1) entering forwarding state

Aug 1 00:00:20 stop_nat_rules: apply the redirect_rules!

Aug 1 00:00:20 WAN_Connection: ISP's DHCP did not function properly.

Aug 1 00:00:20 dnsmasq[510]: started, version 2.78 cachesize 1500

Aug 1 00:00:20 dnsmasq[510]: asynchronous logging enabled, queue limit is 5 messages

```
Aug  1 00:00:20 dnsmasq-dhcp[510]: DHCP, IP range 192.168.1.2 -- 192.168.1.254,
lease time 1d
Aug  1 00:00:20 dnsmasq[510]: read /etc/hosts - 5 addresses
Aug  1 00:00:20 TM-AC1900: start httpd
Aug  1 00:00:20 crond[518]: crond (busybox 1.25.1) started, log level 8
Aug  1 00:00:21 disk_monitor: be idle
Aug  1 00:00:21 hour_monitor: daemon is starting
Aug  1 00:00:21 hour_monitor: daemon terminates
Aug  1 00:00:21 jffs2: valid logs(1)
Aug  1 00:00:21 httpd: Generating SSL certificate...
Aug  1 00:00:21 kernel: br0: port 2(eth1) entering forwarding state
Aug  1 00:00:21 kernel: device eth1 left promiscuous mode
Aug  1 00:00:21 kernel: br0: port 2(eth1) entering disabled state
Aug  1 00:00:21 kernel: br0: port 3(eth2) entering forwarding state
Aug  1 00:00:21 kernel: device eth2 left promiscuous mode
Aug  1 00:00:21 kernel: br0: port 3(eth2) entering disabled state
Aug  1 00:00:22 kernel: wl_module_init: passivemode set to 0x0
Aug  1 00:00:22 kernel: wl_module_init: igs set to 0x0
Aug  1 00:00:22 kernel: wl_module_init: txworkq set to 0x0
Aug  1 00:00:22 kernel: eth1: Broadcom BCM4360 802.11 Wireless Controller
6.37.14.126 (r561982)
Aug  1 00:00:22 kernel: eth2: Broadcom BCM4360 802.11 Wireless Controller
6.37.14.126 (r561982)
Aug  1 00:00:22 kernel: device eth1 entered promiscuous mode
Aug  1 00:00:22 kernel: br0: topology change detected, propagating
Aug  1 00:00:22 kernel: br0: port 2(eth1) entering forwarding state
Aug  1 00:00:22 kernel: br0: port 2(eth1) entering forwarding state
Aug  1 00:00:23 kernel: device eth2 entered promiscuous mode
Aug  1 00:00:23 kernel: br0: topology change detected, propagating
Aug  1 00:00:23 kernel: br0: port 3(eth2) entering forwarding state
Aug  1 00:00:23 kernel: br0: port 3(eth2) entering forwarding state
Aug  1 00:00:29 dnsmasq[510]: read /etc/hosts - 5 addresses
Aug  1 00:00:31 kernel: usbcore: registered new interface driver usbfs
Aug  1 00:00:31 kernel: usbcore: registered new interface driver hub
Aug  1 00:00:31 kernel: usbcore: registered new device driver usb
Aug  1 00:00:31 syslog: module ledtrig-usbdev not found in modules.dep
Aug  1 00:00:31 syslog: module leds-usb not found in modules.dep
Aug  1 00:00:31 kernel: SCSI subsystem initialized
Aug  1 00:00:31 kernel: csw_retry 100
Aug  1 00:00:31 kernel: Initializing USB Mass Storage driver...
Aug  1 00:00:31 kernel: usbcore: registered new interface driver usb-storage
Aug  1 00:00:31 kernel: USB Mass Storage support registered.
Aug  1 00:00:32 kernel: Tuxera FAT 12/16/32 driver version 3015.1.29.5_1 [Flags:
R/W MODULE].
Aug  1 00:00:32 kernel: Built against headers 2.6.36.4brcmarm #1 SMP PREEMPT Wed
Dec 2 11:17:39 CST 2015 arm
Aug  1 00:00:32 kernel: Running on kernel 2.6.36.4brcmarm #2 SMP PREEMPT Wed Oct 4
15:10:22 EDT 2017 armv7l
Aug  1 00:00:32 kernel: Tuxera NTFS driver 3015.1.29.8_1 [Flags: R/W MODULE].
Aug  1 00:00:32 kernel: Tuxera HFS+ driver 3014.7.28
Aug  1 00:00:32 kernel: ehci_hcd: USB 2.0 'Enhanced' Host Controller (EHCI) Driver
Aug  1 00:00:32 kernel: ehci_hcd 0000:00:0b.1: EHCI Host Controller
Aug  1 00:00:32 kernel: ehci_hcd 0000:00:0b.1: new USB bus registered, assigned bus
number 1
Aug  1 00:00:32 kernel: ehci_hcd 0000:00:0b.1: irq 111, io mem 0x18021000
Aug  1 00:00:33 kernel: ehci_hcd 0000:00:0b.1: USB 0.0 started, EHCI 1.00
Aug  1 00:00:33 kernel: hub 1-0:1.0: USB hub found
Aug  1 00:00:33 kernel: hub 1-0:1.0: 2 ports detected
Aug  1 00:00:33 kernel: ohci_hcd: USB 1.1 'Open' Host Controller (OHCI) Driver
```

```

Aug  1 00:00:33 kernel: ohci_hcd 0000:00:0b.0: OHCI Host Controller
Aug  1 00:00:33 kernel: ohci_hcd 0000:00:0b.0: new USB bus registered, assigned bus
number 2
Aug  1 00:00:33 kernel: ohci_hcd 0000:00:0b.0: irq 111, io mem 0x18022000
Aug  1 00:00:33 kernel: hub 2-0:1.0: USB hub found
Aug  1 00:00:33 kernel: hub 2-0:1.0: 2 ports detected
Aug  1 00:00:33 kernel: usbcore: registered new interface driver usbblp
Aug  1 00:00:33 kernel: usbcore: registered new interface driver asix
Aug  1 00:00:33 kernel: usbcore: registered new interface driver cdc_ether
Aug  1 00:00:33 kernel: usbcore: registered new interface driver rndis_host
Aug  1 00:00:33 kernel: cdc_ncm: 14-Mar-2012
Aug  1 00:00:33 kernel: usbcore: registered new interface driver cdc_ncm
Aug  1 00:00:33 kernel: usbcore: registered new interface driver cdc_wdm
Aug  1 00:00:33 kernel: usbcore: registered new interface driver qmi_wwan
Aug  1 00:00:33 kernel: cdc_mbim: loaded
Aug  1 00:00:33 kernel: usbcore: registered new interface driver cdc_mbim
Aug  1 08:26:41 dnsmasq-dhcp[510]: DHCPREQUEST(br0) 192.168.29.146
08:60:6e:67:ae:31
Aug  1 08:26:41 dnsmasq-dhcp[510]: DHCPNAK(br0) 192.168.29.146 08:60:6e:67:ae:31
wrong network
Aug  1 08:26:45 dnsmasq-dhcp[510]: DHCPDISCOVER(br0) 08:60:6e:67:ae:31
Aug  1 08:26:45 dnsmasq-dhcp[510]: DHCPOFFER(br0) 192.168.1.146 08:60:6e:67:ae:31
Aug  1 08:26:45 dnsmasq-dhcp[510]: DHCPDISCOVER(br0) 08:60:6e:67:ae:31
Aug  1 08:26:45 dnsmasq-dhcp[510]: DHCPOFFER(br0) 192.168.1.146 08:60:6e:67:ae:31
Aug  1 08:26:45 dnsmasq-dhcp[510]: DHCPREQUEST(br0) 192.168.1.146 08:60:6e:67:ae:31

Aug  1 08:26:45 dnsmasq-dhcp[510]: DHCPACK(br0) 192.168.1.146 08:60:6e:67:ae:31
RedDragon
Aug  1 08:30:13 rc_service: httpd 516:notify_rc start_autodet
Aug  1 08:30:15 kernel: autodet uses obsolete (PF_INET,SOCK_PACKET)
Aug  1 08:30:17 rc_service: autodet 2098:notify_rc restart_wan_if 0
Aug  1 08:30:17 kernel: Attempt to kill tasklet from interrupt
Aug  1 08:30:17 kernel: device eth0 left promiscuous mode
Aug  1 08:30:17 kernel: br0: port 1(vlan1) entering forwarding state
Aug  1 08:30:17 kernel: device eth0 entered promiscuous mode
Aug  1 08:30:17 kernel: br0: topology change detected, propagating
Aug  1 08:30:17 kernel: br0: port 1(vlan1) entering forwarding state
Aug  1 08:30:17 kernel: br0: port 1(vlan1) entering forwarding state
Aug  1 08:30:18 dnsmasq[510]: read /etc/hosts - 5 addresses
Aug  1 08:30:18 wan: mac clone: [wan0_hwaddr] == [08:60:6e:67:ae:31]
Aug  1 08:30:18 kernel: Attempt to kill tasklet from interrupt
Aug  1 08:30:18 kernel: device eth0 left promiscuous mode
Aug  1 08:30:18 kernel: br0: port 1(vlan1) entering forwarding state
Aug  1 08:30:18 kernel: device eth0 entered promiscuous mode
Aug  1 08:30:18 kernel: br0: topology change detected, propagating
Aug  1 08:30:18 kernel: br0: port 1(vlan1) entering forwarding state
Aug  1 08:30:18 kernel: br0: port 1(vlan1) entering forwarding
state
Aug  1 08:30:19 dnsmasq[510]: read /etc/hosts - 5 addresses
Aug  1 08:30:23 rc_service: udhcpc 2111:notify_rc start_firewall
Aug  1 08:30:23 dnsmasq[510]: read /etc/hosts - 5 addresses
Aug  1 08:30:23 dnsmasq[510]: using nameserver 209.xx.xx.61#53 for domain
socal.rr.com
Aug  1 08:30:23 dnsmasq[510]: using nameserver 209.xx.xx.62#53 for domain
socal.rr.com
Aug  1 08:30:23 dnsmasq[510]: using nameserver 209.xx.xx.62#53
Aug  1 08:30:23 dnsmasq[510]: using nameserver 209.xx.xx.61#53
Aug  1 08:30:24 stop_nat_rules: apply the redirect_rules!
Aug  1 08:30:25 rc_service: udhcpc 2111:notify_rc stop_upnp

```

Aug 1 08:30:25 rc_service: waitting "start_firewall" via udhcpd ...
Aug 1 08:30:25 kernel: nf_conntrack_rtsp v0.6.21 loading
Aug 1 08:30:25 kernel: nf_nat_rtsp v0.6.21 loading
Aug 1 08:30:26 rc_service: udhcpd 2111:notify_rc start_upnp
Aug 1 08:30:26 rc_service: waitting "stop_upnp" via udhcpd ...
Aug 1 08:30:27 dhcp_client: bound (removed) via (removed) during 73089 seconds.
Aug 1 08:30:27 miniupnpd[2178]: HTTP listening on port 42133
Aug 1 08:30:27 WAN_Connection: WAN was restored.
Aug 1 08:30:27 miniupnpd[2178]: Listening for NAT-PMP/PCP traffic on port 5351
Aug 1 08:30:28 ntp: start NTP update
Dec 12 19:14:15 rc_service: ntp 2175:notify_rc restart_upnp
Dec 12 19:14:15 miniupnpd[2178]: shutting down MiniUPnPd
Dec 12 19:14:15 miniupnpd[2192]: HTTP listening on port 60968
Dec 12 19:14:15 miniupnpd[2192]: Listening for NAT-PMP/PCP traffic on port 5351
Dec 12 19:14:16 rc_service: ntp 2175:notify_rc restart_diskmon
Dec 12 19:14:16 disk_monitor: Finish
Dec 12 19:14:17 disk_monitor: be idle
Dec 12 19:14:46 crond[518]: time disparity of 1244804 minutes detected
Dec 12 19:15:40 watchdog: New firmware version 380.69_0 is available.
Dec 12 19:15:41 rc_service: httpd 516:notify_rc start_webs_update
Dec 12 11:17:00 syslogd started: BusyBox v1.25.1
Dec 12 11:17:00 kernel: klogd started: BusyBox v1.25.1 (2017-10-04 15:01:12 EDT)
Dec 12 11:17:00 start_nat_rules: apply the nat_rules(/tmp/nat_rules_eth0_eth0)!
Dec 12 11:17:00 miniupnpd[2635]: HTTP listening on port 33881
Dec 12 11:17:00 miniupnpd[2635]: Listening for NAT-PMP/PCP traffic on port 5351
Dec 12 11:17:01 hour_monitor: daemon is starting
Dec 12 11:17:01 hour_monitor: daemon terminates
Dec 12 11:17:29 rc_service: httpd 516:notify_rc chpass
Dec 12 11:17:29 rc_service: httpd 516:notify_rc restart_ftpsamba
Dec 12 11:17:29 FTP_Server: daemon is stopped
Dec 12 11:17:30 Samba_Server: smb daemon is stopped
Dec 12 11:17:30 kernel: gro disabled
Dec 12 19:17:30 dnsmasq[510]: exiting on receipt of SIGTERM
Dec 12 11:17:30 dnsmasq[2650]: started, version 2.78 cachesize 1500
Dec 12 11:17:30 dnsmasq[2650]: asynchronous logging enabled, queue limit is 5
messages
Dec 12 11:17:30 dnsmasq-dhcp[2650]: DHCP, IP range 192.168.1.2 -- 192.168.1.254,
lease time 1d
Dec 12 11:17:30 dnsmasq[2650]: read /etc/hosts - 5 addresses
Dec 12 11:17:30 dnsmasq[2650]: using nameserver 209.xx.xx.61#53 for domain
s(removed)
Dec 12 11:17:30 dnsmasq[2650]: using nameserver 209.xx.xx.62#53 for domain
(removed)
Dec 12 11:17:30 dnsmasq[2650]: using nameserver 209.xx.xx.62#53
Dec 12 11:17:30 dnsmasq[2650]: using nameserver 209.xx.xx.61#53
Dec 12 20:00:17 disk_monitor: Got SIGALRM...