

```

Dec 31 13:01:58 rc_service: httpd 760:notify_rc
start_vpnclient1
Dec 31 13:01:58 openvpn[5381]: Current Parameter Settings:
Dec 31 13:01:58 openvpn[5381]:   config = 'config.ovpn'
Dec 31 13:01:58 openvpn[5381]:   mode = 0
Dec 31 13:01:58 openvpn[5381]:   persist_config = DISABLED
Dec 31 13:01:58 openvpn[5381]:   persist_mode = 1
Dec 31 13:01:58 openvpn[5381]:   show_ciphers = DISABLED
Dec 31 13:01:58 openvpn[5381]:   show_digests = DISABLED
Dec 31 13:01:58 openvpn[5381]:   show_engines = DISABLED
Dec 31 13:01:58 openvpn[5381]:   genkey = DISABLED
Dec 31 13:01:58 openvpn[5381]:   key_pass_file = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   show_tls_ciphers = DISABLED
Dec 31 13:01:58 openvpn[5381]:   connect_retry_max = 0
Dec 31 13:01:58 openvpn[5381]: Connection profiles [0]:
Dec 31 13:01:58 openvpn[5381]:   proto = udp
Dec 31 13:01:58 openvpn[5381]:   local = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   local_port = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   remote = 'basel.perfect-
privacy.com'
Dec 31 13:01:58 openvpn[5381]:   remote_port = '150'
Dec 31 13:01:58 openvpn[5381]:   remote_float = DISABLED
Dec 31 13:01:58 openvpn[5381]:   bind_defined = DISABLED
Dec 31 13:01:58 openvpn[5381]:   bind_local = DISABLED
Dec 31 13:01:58 openvpn[5381]:   bind_ipv6_only = DISABLED
Dec 31 13:01:58 openvpn[5381]:   connect_retry_seconds = 5
Dec 31 13:01:58 openvpn[5381]:   connect_timeout = 120
Dec 31 13:01:58 openvpn[5381]:   socks_proxy_server =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   socks_proxy_port = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   tun_mtu = 1500
Dec 31 13:01:58 openvpn[5381]:   tun_mtu_defined = ENABLED
Dec 31 13:01:58 openvpn[5381]:   link_mtu = 1500
Dec 31 13:01:58 openvpn[5381]:   link_mtu_defined = DISABLED
Dec 31 13:01:58 openvpn[5381]:   tun_mtu_extra = 0
Dec 31 13:01:58 openvpn[5381]:   tun_mtu_extra_defined =
DISABLED
Dec 31 13:01:58 openvpn[5381]:   mtu_discover_type = -1
Dec 31 13:01:58 openvpn[5381]:   fragment = 0
Dec 31 13:01:58 openvpn[5381]:   mssfix = 1450
Dec 31 13:01:58 openvpn[5381]:   explicit_exit_notification =
0
Dec 31 13:01:58 openvpn[5381]: Connection profiles END
Dec 31 13:01:58 openvpn[5381]:   remote_random = DISABLED
Dec 31 13:01:58 openvpn[5381]:   ipchange = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   dev = 'tun11'
Dec 31 13:01:58 openvpn[5381]:   dev_type = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   dev_node = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   lladdr = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   topology = 1
Dec 31 13:01:58 openvpn[5381]:   ifconfig_local = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   ifconfig_remote_netmask =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:   ifconfig_noexec = DISABLED
Dec 31 13:01:58 openvpn[5381]:   ifconfig_nowarn = DISABLED
Dec 31 13:01:58 openvpn[5381]:   ifconfig_ipv6_local =
'[UNDEF]'

```

```

Dec 31 13:01:58 openvpn[5381]: ifconfig_ipv6_netbits = 0
Dec 31 13:01:58 openvpn[5381]: ifconfig_ipv6_remote =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: shaper = 0
Dec 31 13:01:58 openvpn[5381]: mtu_test = 0
Dec 31 13:01:58 openvpn[5381]: mlock = DISABLED
Dec 31 13:01:58 openvpn[5381]: keepalive_ping = 0
Dec 31 13:01:58 openvpn[5381]: keepalive_timeout = 0
Dec 31 13:01:58 openvpn[5381]: inactivity_timeout = 604800
Dec 31 13:01:58 openvpn[5381]: ping_send_timeout = 0
Dec 31 13:01:58 openvpn[5381]: ping_rec_timeout = 0
Dec 31 13:01:58 openvpn[5381]: ping_rec_timeout_action = 0
Dec 31 13:01:58 openvpn[5381]: ping_timer_remote = DISABLED
Dec 31 13:01:58 openvpn[5381]: remap_sigusr1 = 0
Dec 31 13:01:58 openvpn[5381]: persist_tun = ENABLED
Dec 31 13:01:58 openvpn[5381]: persist_local_ip = DISABLED
Dec 31 13:01:58 openvpn[5381]: persist_remote_ip = DISABLED
Dec 31 13:01:58 openvpn[5381]: persist_key = ENABLED
Dec 31 13:01:58 openvpn[5381]: passtos = DISABLED
Dec 31 13:01:58 openvpn[5381]: resolve_retry_seconds = 60
Dec 31 13:01:58 openvpn[5381]: resolve_in_advance = DISABLED
Dec 31 13:01:58 openvpn[5381]: username = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: groupname = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: chroot_dir = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: cd_dir =
'/etc/openvpn/client1'
Dec 31 13:01:58 openvpn[5381]: writepid = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: up_script = 'updown.sh'
Dec 31 13:01:58 openvpn[5381]: down_script = 'updown.sh'
Dec 31 13:01:58 openvpn[5381]: down_pre = DISABLED
Dec 31 13:01:58 openvpn[5381]: up_restart = DISABLED
Dec 31 13:01:58 openvpn[5381]: up_delay = DISABLED
Dec 31 13:01:58 openvpn[5381]: daemon = ENABLED
Dec 31 13:01:58 openvpn[5381]: inetd = 0
Dec 31 13:01:58 openvpn[5381]: log = DISABLED
Dec 31 13:01:58 openvpn[5381]: suppress_timestamps =
DISABLED
Dec 31 13:01:58 openvpn[5381]: machine_readable_output =
DISABLED
Dec 31 13:01:58 openvpn[5381]: nice = 0
Dec 31 13:01:58 openvpn[5381]: verbosity = 4
Dec 31 13:01:58 openvpn[5381]: mute = 0
Dec 31 13:01:58 openvpn[5381]: status_file = 'status'
Dec 31 13:01:58 openvpn[5381]: status_file_version = 2
Dec 31 13:01:58 openvpn[5381]: status_file_update_freq = 5
Dec 31 13:01:58 openvpn[5381]: occ = ENABLED
Dec 31 13:01:58 openvpn[5381]: rcvbuf = 0
Dec 31 13:01:58 openvpn[5381]: sndbuf = 0
Dec 31 13:01:58 openvpn[5381]: mark = 0
Dec 31 13:01:58 openvpn[5381]: sockflags = 0
Dec 31 13:01:58 openvpn[5381]: fast_io = DISABLED
Dec 31 13:01:58 openvpn[5381]: comp.alg = 2
Dec 31 13:01:58 openvpn[5381]: comp.flags = 1
Dec 31 13:01:58 openvpn[5381]: route_script =
'vpnrouting.sh'
Dec 31 13:01:58 openvpn[5381]: route_default_gateway =
'[UNDEF]'

```

```

Dec 31 13:01:58 openvpn[5381]: route_default_metric = 0
Dec 31 13:01:58 openvpn[5381]: route_noexec = DISABLED
Dec 31 13:01:58 openvpn[5381]: route_delay = 2
Dec 31 13:01:58 openvpn[5381]: route_delay_window = 30
Dec 31 13:01:58 openvpn[5381]: route_delay_defined = ENABLED
Dec 31 13:01:58 openvpn[5381]: route_nopull = DISABLED
Dec 31 13:01:58 openvpn[5381]: route_gateway_via_dhcp =
DISABLED
Dec 31 13:01:58 openvpn[5381]: allow_pull_fqdn = DISABLED
Dec 31 13:01:58 openvpn[5381]: Pull filters:
Dec 31 13:01:58 openvpn[5381]:     ignore "ifconfig-ipv6"
Dec 31 13:01:58 openvpn[5381]:     ignore "router-ipv6"
Dec 31 13:01:58 openvpn[5381]: [redirect_default_gateway
local=0]
Dec 31 13:01:58 openvpn[5381]: management_addr = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: management_port = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: management_user_pass =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: management_log_history_cache
= 250
Dec 31 13:01:58 openvpn[5381]: management_echo_buffer_size =
100
Dec 31 13:01:58 openvpn[5381]: management_write_peer_info_file = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: management_client_user =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: management_client_group =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: management_flags = 0
Dec 31 13:01:58 openvpn[5381]: shared_secret_file =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: key_direction = 2
Dec 31 13:01:58 openvpn[5381]: ciphername = 'AES-256-CBC'
Dec 31 13:01:58 openvpn[5381]: ncp_enabled = DISABLED
Dec 31 13:01:58 openvpn[5381]: ncp_ciphers = 'AES-256-
GCM:AES-128-GCM'
Dec 31 13:01:58 openvpn[5381]: authname = 'SHA512'
Dec 31 13:01:58 openvpn[5381]: prng_hash = 'SHA1'
Dec 31 13:01:58 openvpn[5381]: prng_nonce_secret_len = 16
Dec 31 13:01:58 openvpn[5381]: keysize = 0
Dec 31 13:01:58 openvpn[5381]: engine = DISABLED
Dec 31 13:01:58 openvpn[5381]: replay = ENABLED
Dec 31 13:01:58 openvpn[5381]: mute_replay_warnings =
ENABLED
Dec 31 13:01:58 openvpn[5381]: replay_window = 64
Dec 31 13:01:58 openvpn[5381]: replay_time = 15
Dec 31 13:01:58 openvpn[5381]: packet_id_file = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: use_iv = ENABLED
Dec 31 13:01:58 openvpn[5381]: test_crypto = DISABLED
Dec 31 13:01:58 openvpn[5381]: tls_server = DISABLED
Dec 31 13:01:58 openvpn[5381]: tls_client = ENABLED
Dec 31 13:01:58 openvpn[5381]: key_method = 2
Dec 31 13:01:58 openvpn[5381]: ca_file = 'ca.crt'
Dec 31 13:01:58 openvpn[5381]: ca_path = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: dh_file = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: cert_file = 'client.crt'
Dec 31 13:01:58 openvpn[5381]: extra_certs_file = '[UNDEF]'

```

```
Dec 31 13:01:58 openvpn[5381]: priv_key_file = 'client.key'
Dec 31 13:01:58 openvpn[5381]: pkcs12_file = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: cipher_list = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: tls_verify = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: tls_export_cert = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: verify_x509_type = 0
Dec 31 13:01:58 openvpn[5381]: verify_x509_name = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: crl_file = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: ns_cert_type = 1
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_ku[i] = 0
Dec 31 13:01:58 openvpn[5381]: remote_cert_eku = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: ssl_flags = 0
Dec 31 13:01:58 openvpn[5381]: tls_timeout = 2
Dec 31 13:01:58 openvpn[5381]: renegotiate_bytes = -1
Dec 31 13:01:58 openvpn[5381]: renegotiate_packets = 0
Dec 31 13:01:58 openvpn[5381]: renegotiate_seconds = 3600
Dec 31 13:01:58 openvpn[5381]: handshake_window = 60
Dec 31 13:01:58 openvpn[5381]: transition_window = 3600
Dec 31 13:01:58 openvpn[5381]: single_session = DISABLED
Dec 31 13:01:58 openvpn[5381]: push_peer_info = DISABLED
Dec 31 13:01:58 openvpn[5381]: tls_exit = DISABLED
Dec 31 13:01:58 openvpn[5381]: tls_auth_file = 'static.key'
Dec 31 13:01:58 openvpn[5381]: tls_crypt_file = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: server_network = 0.0.0.0
Dec 31 13:01:58 openvpn[5381]: server_netmask = 0.0.0.0
Dec 31 13:01:58 openvpn[5381]: server_network_ipv6 = ::
Dec 31 13:01:58 openvpn[5381]: server_netbits_ipv6 = 0
Dec 31 13:01:58 openvpn[5381]: server_bridge_ip = 0.0.0.0
Dec 31 13:01:58 openvpn[5381]: server_bridge_netmask =
0.0.0.0
Dec 31 13:01:58 openvpn[5381]: server_bridge_pool_start =
0.0.0.0
Dec 31 13:01:58 openvpn[5381]: server_bridge_pool_end =
0.0.0.0
Dec 31 13:01:58 openvpn[5381]: ifconfig_pool_defined =
DISABLED
Dec 31 13:01:58 openvpn[5381]: ifconfig_pool_start = 0.0.0.0
Dec 31 13:01:58 openvpn[5381]: ifconfig_pool_end = 0.0.0.0
Dec 31 13:01:58 openvpn[5381]: ifconfig_pool_netmask =
0.0.0.0
Dec 31 13:01:58 openvpn[5381]: ifconfig_pool_persist_filename = '[UNDEF]'
```

```

Dec 31 13:01:58 openvpn[5381]:
ifconfig_pool_persist_refresh_freq = 600
Dec 31 13:01:58 openvpn[5381]: ifconfig_ipv6_pool_defined =
DISABLED
Dec 31 13:01:58 openvpn[5381]: ifconfig_ipv6_pool_base = ::
Dec 31 13:01:58 openvpn[5381]: ifconfig_ipv6_pool_netbits =
0
Dec 31 13:01:58 openvpn[5381]: n_bcast_buf = 256
Dec 31 13:01:58 openvpn[5381]: tcp_queue_limit = 64
Dec 31 13:01:58 openvpn[5381]: real_hash_size = 256
Dec 31 13:01:58 openvpn[5381]: virtual_hash_size = 256
Dec 31 13:01:58 openvpn[5381]: client_connect_script =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: learn_address_script =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: client_disconnect_script =
'[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: client_config_dir = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: ccd_exclusive = DISABLED
Dec 31 13:01:58 openvpn[5381]: tmp_dir = '/tmp'
Dec 31 13:01:58 openvpn[5381]: push_ifconfig_defined =
DISABLED
Dec 31 13:01:58 openvpn[5381]: push_ifconfig_local = 0.0.0.0
Dec 31 13:01:58 openvpn[5381]: push_ifconfig_remote_netmask
= 0.0.0.0
Dec 31 13:01:58 openvpn[5381]: push_ifconfig_ipv6_defined =
DISABLED
Dec 31 13:01:58 openvpn[5381]: push_ifconfig_ipv6_local
= ::/0
Dec 31 13:01:58 openvpn[5381]: push_ifconfig_ipv6_remote
= ::
Dec 31 13:01:58 openvpn[5381]: enable_c2c = DISABLED
Dec 31 13:01:58 openvpn[5381]: duplicate_cn = DISABLED
Dec 31 13:01:58 openvpn[5381]: cf_max = 0
Dec 31 13:01:58 openvpn[5381]: cf_per = 0
Dec 31 13:01:58 openvpn[5381]: max_clients = 1024
Dec 31 13:01:58 openvpn[5381]: max_routes_per_client = 256
Dec 31 13:01:58 openvpn[5381]: auth_user_pass_verify_script
= '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]:
auth_user_pass_verify_script_via_file = DISABLED
Dec 31 13:01:58 openvpn[5381]: auth_token_generate =
DISABLED
Dec 31 13:01:58 openvpn[5381]: auth_token_lifetime = 0
Dec 31 13:01:58 openvpn[5381]: port_share_host = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: port_share_port = '[UNDEF]'
Dec 31 13:01:58 openvpn[5381]: client = ENABLED
Dec 31 13:01:58 openvpn[5381]: pull = ENABLED
Dec 31 13:01:58 openvpn[5381]: auth_user_pass_file = 'up'
Dec 31 13:01:58 openvpn[5381]: OpenVPN 2.4.4 arm-buildroot-
linux-gnueabi [SSL (OpenSSL)] [LZO] [LZ4] [EPOLL] [MH/PKTINFO]
[AEAD] built on Dec 2 2017
Dec 31 13:01:58 openvpn[5381]: library versions: OpenSSL
1.0.2m 2 Nov 2017, LZO 2.08
Dec 31 13:01:58 openvpn[5382]: WARNING: --ns-cert-type is
DEPRECATED. Use --remote-cert-tls instead.
Dec 31 13:01:58 openvpn[5382]: NOTE: the current --script-

```

```

security setting may allow this configuration to call user-
defined scripts
Dec 31 13:01:58 openvpn[5382]: Outgoing Control Channel
Authentication: Using 512 bit message hash 'SHA512' for HMAC
authentication
Dec 31 13:01:58 openvpn[5382]: Incoming Control Channel
Authentication: Using 512 bit message hash 'SHA512' for HMAC
authentication
Dec 31 13:01:58 openvpn[5382]: LZO compression initializing
Dec 31 13:01:58 openvpn[5382]: Control Channel MTU parms
[ L:1622 D:1140 EF:110 EB:0 ET:0 EL:3 ]
Dec 31 13:01:58 openvpn[5382]: Data Channel MTU parms [ L:1622
D:1450 EF:122 EB:406 ET:0 EL:3 ]
Dec 31 13:01:58 openvpn[5382]: Local Options String (VER=V4):
'V4,dev-type tun,link-mtu 1602,tun-mtu 1500,proto UDPv4,comp-
lzo,keydir 1,cipher AES-256-CBC,auth SHA512,keysize 256,tls-
auth,key-method 2,tls-client'
Dec 31 13:01:58 openvpn[5382]: Expected Remote Options String
(VER=V4): 'V4,dev-type tun,link-mtu 1602,tun-mtu 1500,proto
UDPv4,comp-lzo,keydir 0,cipher AES-256-CBC,auth SHA512,keysize
256,tls-auth,key-method 2,tls-server'
Dec 31 13:01:58 openvpn[5382]: TCP/UDP: Preserving recently
used remote address: [AF_INET]82.199.134.162:150
Dec 31 13:01:58 openvpn[5382]: Socket Buffers:
R=[278528->278528] S=[278528->278528]
Dec 31 13:01:58 openvpn[5382]: UDP link local: (not bound)
Dec 31 13:01:58 openvpn[5382]: UDP link remote:
[AF_INET]82.199.134.162:150
Dec 31 13:01:58 openvpn[5382]: TLS: Initial packet from
[AF_INET]82.199.134.162:150, sid=78322109 4b688fc8
Dec 31 13:01:58 openvpn[5382]: WARNING: this configuration may
cache passwords in memory -- use the auth-nocache option to
prevent this
Dec 31 13:01:58 openvpn[5382]: VERIFY OK: depth=1, C=CH,
ST=Zug, L=Zug, O=Perfect Privacy, CN=Perfect Privacy,
emailAddress=admin@perfect-privacy.com
Dec 31 13:01:58 openvpn[5382]: VERIFY OK: nsCertType=SERVER
Dec 31 13:01:58 openvpn[5382]: VERIFY OK: depth=0, C=CH,
ST=Zug, O=Perfect Privacy, CN=Server_basel.perfect-
privacy.com, emailAddress=admin@perfect-privacy.com
Dec 31 13:01:59 openvpn[5382]: WARNING: 'link-mtu' is used
inconsistently, local='link-mtu 1602', remote='link-mtu 1606'
Dec 31 13:01:59 openvpn[5382]: WARNING: 'mtu-dynamic' is
present in remote config but missing in local config,
remote='mtu-dynamic'
Dec 31 13:01:59 openvpn[5382]: Control Channel: TLSv1.2,
cipher TLSv1/SSLv3 DHE-RSA-AES256-GCM-SHA384, 4096 bit RSA
Dec 31 13:01:59 openvpn[5382]: [Server_basel.perfect-
privacy.com] Peer Connection Initiated with
[AF_INET]82.199.134.162:150
Dec 31 13:02:00 openvpn[5382]: SENT CONTROL
[Server_basel.perfect-privacy.com]: 'PUSH_REQUEST' (status=1)
Dec 31 13:02:00 openvpn[5382]: PUSH: Received control message:
'PUSH_REPLY,topology subnet,redirect-gateway def1,sndbuf
131072,rcvbuf 131072,comp-lzo adaptive,route-gateway
10.0.84.1,redirect-gateway ipv6,route-ipv6 2000::/3,ping
10,ping-restart 60,dhcp-option DNS 82.199.134.174,dhcp-option

```

```

DNS 80.255.10.206,ifconfig-ipv6
fdbf:1d37:bbe0:0:5:4:0:1248/112
fdbf:1d37:bbe0:0:5:4:0:1,ifconfig 10.0.84.248
255.255.255.0,peer-id 8'
Dec 31 13:02:00 openvpn[5382]: Pushed option removed by
filter: 'ifconfig-ipv6 fdbf:1d37:bbe0:0:5:4:0:1248/112
fdbf:1d37:bbe0:0:5:4:0:1'
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: timers and/or
timeouts modified
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: compression
parms modified
Dec 31 13:02:00 openvpn[5382]: LZO compression initializing
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: --sndbuf/--
rcvbuf options modified
Dec 31 13:02:00 openvpn[5382]: Socket Buffers:
R=[278528->262144] S=[278528->262144]
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: --ifconfig/up
options modified
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: route options
modified
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: route-related
options modified
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: --ip-win32
and/or --dhcp-option options modified
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: peer-id set
Dec 31 13:02:00 openvpn[5382]: OPTIONS IMPORT: adjusting
link_mtu to 1625
Dec 31 13:02:00 openvpn[5382]: Data Channel MTU parms [ L:1605
D:1450 EF:105 EB:406 ET:0 EL:3 ]
Dec 31 13:02:00 openvpn[5382]: Outgoing Data Channel: Cipher
'AES-256-CBC' initialized with 256 bit key
Dec 31 13:02:00 openvpn[5382]: Outgoing Data Channel: Using
512 bit message hash 'SHA512' for HMAC authentication
Dec 31 13:02:00 openvpn[5382]: Incoming Data Channel: Cipher
'AES-256-CBC' initialized with 256 bit key
Dec 31 13:02:00 openvpn[5382]: Incoming Data Channel: Using
512 bit message hash 'SHA512' for HMAC authentication
Dec 31 13:02:00 openvpn[5382]: GDG6: remote_host_ipv6=n/a
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE6: OpenVPN needs a
gateway parameter for a --route-ipv6 option and no default was
specified by either --route-ipv6-gateway or --ifconfig-ipv6
options
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE: failed to
parse/resolve route for host/network: fc00::/7
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE6: OpenVPN needs a
gateway parameter for a --route-ipv6 option and no default was
specified by either --route-ipv6-gateway or --ifconfig-ipv6
options
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE: failed to
parse/resolve route for host/network: 3000::/4
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE6: OpenVPN needs a
gateway parameter for a --route-ipv6 option and no default was
specified by either --route-ipv6-gateway or --ifconfig-ipv6
options
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE: failed to
parse/resolve route for host/network: 2000::/4
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE6: OpenVPN needs a

```

```

gateway parameter for a --route-ipv6 option and no default was
specified by either --route-ipv6-gateway or --ifconfig-ipv6
options
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE: failed to
parse/resolve route for host/network: ::/3
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE6: OpenVPN needs a
gateway parameter for a --route-ipv6 option and no default was
specified by either --route-ipv6-gateway or --ifconfig-ipv6
options
Dec 31 13:02:00 openvpn[5382]: OpenVPN ROUTE: failed to
parse/resolve route for host/network: 2000::/3
Dec 31 13:02:00 openvpn[5382]: TUN/TAP device tun11 opened
Dec 31 13:02:00 openvpn[5382]: TUN/TAP TX queue length set to
100
Dec 31 13:02:00 openvpn[5382]: do_ifconfig, tt->
did_ifconfig_ipv6_setup=0
Dec 31 13:02:00 openvpn[5382]: /bin/ip link set dev tun11 up
mtu 1500
Dec 31 13:02:00 openvpn[5382]: /bin/ip addr add dev tun11
10.0.84.248/24 broadcast 10.0.84.255
Dec 31 13:02:00 openvpn[5382]: updown.sh tun11 1500 1605
10.0.84.248 255.255.255.0 init
Dec 31 12:02:00 rc_service: service 5443:notify_rc
updateresolv
Dec 31 13:02:00 dnsmasq[5095]: exiting on receipt of SIGTERM
Dec 31 13:02:00 dnsmasq[5449]: started, version 2.78 cachesize
1500
Dec 31 13:02:00 dnsmasq[5449]: asynchronous logging enabled,
queue limit is 5 messages
Dec 31 13:02:00 dnsmasq-dhcp[5449]: DHCP, IP range
192.168.2.2 -- 192.168.2.254, lease time 1d
Dec 31 13:02:00 dnsmasq[5449]: read /etc/hosts - 5 addresses
Dec 31 13:02:00 dnsmasq[5449]: using nameserver 192.168.0.1#53
for domain fritz.box
Dec 31 13:02:00 dnsmasq[5449]: using nameserver 192.168.0.1#53
Dec 31 13:02:00 dnsmasq[5449]: using nameserver 82.199.134.174
#53
Dec 31 13:02:00 dnsmasq[5449]: using nameserver 80.255.10.206#
53
Dec 31 13:02:00 dnsmasq[5449]: using nameserver 192.168.0.1#53
Dec 31 13:02:02 openvpn[5382]: /bin/ip route add
82.199.134.162/32 via 192.168.0.1
Dec 31 13:02:03 openvpn[5382]: /bin/ip route add 0.0.0.0/1 via
10.0.84.1
Dec 31 13:02:03 openvpn[5382]: /bin/ip route add 128.0.0.0/1
via 10.0.84.1
Dec 31 13:02:03 openvpn[5382]: WARNING: OpenVPN was configured
to add an IPv6 route over tun11. However, no IPv6 has been
configured for this interface, therefore the route
installation may fail or may not work as expected.
Dec 31 12:02:03 openvpn-routing: Skipping, client 1 not in
routing policy mode
Dec 31 13:02:03 openvpn[5382]: Initialization Sequence
Completed

```