

Mar 25 18:43:44 rc_service: httpd 597:notify_rc start_vpnclient1
Mar 25 18:43:44 kernel: tun: Universal TUN/TAP device driver, 1.6
Mar 25 18:43:44 kernel: tun: (C) 1999-2004 Max Krasnyansky
<maxk@qualcomm.com>
Mar 25 18:43:45 openvpn[1917]: Current Parameter Settings:
Mar 25 18:43:45 openvpn[1917]: config = 'config.ovpn'
Mar 25 18:43:45 openvpn[1917]: mode = 0
Mar 25 18:43:45 openvpn[1917]: persist_config = DISABLED
Mar 25 18:43:45 openvpn[1917]: persist_mode = 1
Mar 25 18:43:45 openvpn[1917]: show_ciphers = DISABLED
Mar 25 18:43:45 openvpn[1917]: show_digests = DISABLED
Mar 25 18:43:45 openvpn[1917]: show_engines = DISABLED
Mar 25 18:43:45 openvpn[1917]: genkey = DISABLED
Mar 25 18:43:45 openvpn[1917]: key_pass_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: show_tls_ciphers = DISABLED
Mar 25 18:43:45 openvpn[1917]: Connection profiles [default]:
Mar 25 18:43:45 openvpn[1917]: proto = udp
Mar 25 18:43:45 openvpn[1917]: local = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: local_port = 0
Mar 25 18:43:45 openvpn[1917]: remote = 'sweden.privateinternetaccess.com'
Mar 25 18:43:45 openvpn[1917]: remote_port = 1194
Mar 25 18:43:45 openvpn[1917]: remote_float = DISABLED
Mar 25 18:43:45 openvpn[1917]: bind_defined = DISABLED
Mar 25 18:43:45 openvpn[1917]: bind_local = DISABLED
Mar 25 18:43:45 openvpn[1917]: connect_retry_seconds = 5
Mar 25 18:43:45 openvpn[1917]: connect_timeout = 10
Mar 25 18:43:45 openvpn[1917]: connect_retry_max = 0
Mar 25 18:43:45 openvpn[1917]: tun_mtu = 1500
Mar 25 18:43:45 openvpn[1917]: tun_mtu_defined = ENABLED
Mar 25 18:43:45 openvpn[1917]: link_mtu = 1500
Mar 25 18:43:45 openvpn[1917]: link_mtu_defined = DISABLED
Mar 25 18:43:45 openvpn[1917]: tun_mtu_extra = 0
Mar 25 18:43:45 openvpn[1917]: tun_mtu_extra_defined = DISABLED
Mar 25 18:43:45 openvpn[1917]: mtu_discover_type = 1
Mar 25 18:43:45 openvpn[1917]: fragment = 0
Mar 25 18:43:45 openvpn[1917]: mssfix = 1450
Mar 25 18:43:45 openvpn[1917]: explicit_exit_notification = 0
Mar 25 18:43:45 openvpn[1917]: Connection profiles END
Mar 25 18:43:45 openvpn[1917]: remote_random = DISABLED
Mar 25 18:43:45 openvpn[1917]: ipchange = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: dev = 'tun11'
Mar 25 18:43:45 openvpn[1917]: dev_type = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: dev_node = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: lladdr = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: topology = 1
Mar 25 18:43:45 openvpn[1917]: tun_ipv6 = DISABLED
Mar 25 18:43:45 openvpn[1917]: ifconfig_local = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: ifconfig_remote_netmask = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: ifconfig_noexec = DISABLED
Mar 25 18:43:45 openvpn[1917]: ifconfig_nowarn = DISABLED

Mar 25 18:43:45 openvpn[1917]: ifconfig_ipv6_local = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: ifconfig_ipv6_netbits = 0
Mar 25 18:43:45 openvpn[1917]: ifconfig_ipv6_remote = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: shaper = 0
Mar 25 18:43:45 openvpn[1917]: mtu_test = 0
Mar 25 18:43:45 openvpn[1917]: mlock = DISABLED
Mar 25 18:43:45 openvpn[1917]: keepalive_ping = 0
Mar 25 18:43:45 openvpn[1917]: keepalive_timeout = 0
Mar 25 18:43:45 openvpn[1917]: inactivity_timeout = 0
Mar 25 18:43:45 openvpn[1917]: ping_send_timeout = 0
Mar 25 18:43:45 openvpn[1917]: ping_rec_timeout = 0
Mar 25 18:43:45 openvpn[1917]: ping_rec_timeout_action = 0
Mar 25 18:43:45 openvpn[1917]: ping_timer_remote = DISABLED
Mar 25 18:43:45 openvpn[1917]: remap_sigusr1 = 0
Mar 25 18:43:45 openvpn[1917]: persist_tun = ENABLED
Mar 25 18:43:45 openvpn[1917]: persist_local_ip = DISABLED
Mar 25 18:43:45 openvpn[1917]: persist_remote_ip = DISABLED
Mar 25 18:43:45 openvpn[1917]: persist_key = ENABLED
Mar 25 18:43:45 openvpn[1917]: passtos = DISABLED
Mar 25 18:43:45 openvpn[1917]: resolve_retry_seconds = 1000000000
Mar 25 18:43:45 openvpn[1917]: username = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: groupname = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: chroot_dir = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: cd_dir = '/etc/openvpn/client1'
Mar 25 18:43:45 openvpn[1917]: writepid = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: up_script = 'updown.sh'
Mar 25 18:43:45 openvpn[1917]: down_script = 'updown.sh'
Mar 25 18:43:45 openvpn[1917]: down_pre = DISABLED
Mar 25 18:43:45 openvpn[1917]: up_restart = DISABLED
Mar 25 18:43:45 openvpn[1917]: up_delay = DISABLED
Mar 25 18:43:45 openvpn[1917]: daemon = ENABLED
Mar 25 18:43:45 openvpn[1917]: inetd = 0
Mar 25 18:43:45 openvpn[1917]: log = DISABLED
Mar 25 18:43:45 openvpn[1917]: suppress_timestamps = DISABLED
Mar 25 18:43:45 openvpn[1917]: nice = 0
Mar 25 18:43:45 openvpn[1917]: verbosity = 4
Mar 25 18:43:45 openvpn[1917]: mute = 0
Mar 25 18:43:45 openvpn[1917]: status_file = 'status'
Mar 25 18:43:45 openvpn[1917]: status_file_version = 2
Mar 25 18:43:45 openvpn[1917]: status_file_update_freq = 60
Mar 25 18:43:45 openvpn[1917]: occ = ENABLED
Mar 25 18:43:45 openvpn[1917]: rcvbuf = 65536
Mar 25 18:43:45 openvpn[1917]: sndbuf = 65536
Mar 25 18:43:45 openvpn[1917]: mark = 0
Mar 25 18:43:45 openvpn[1917]: sockflags = 0
Mar 25 18:43:45 openvpn[1917]: fast_io = ENABLED
Mar 25 18:43:45 openvpn[1917]: lzo = 7
Mar 25 18:43:45 openvpn[1917]: route_script = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: route_default_gateway = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: route_default_metric = 0

Mar 25 18:43:45 openvpn[1917]: route_noexec = DISABLED
Mar 25 18:43:45 openvpn[1917]: route_delay = 0
Mar 25 18:43:45 openvpn[1917]: route_delay_window = 30
Mar 25 18:43:45 openvpn[1917]: route_delay_defined = DISABLED
Mar 25 18:43:45 openvpn[1917]: route_nopull = DISABLED
Mar 25 18:43:45 openvpn[1917]: route_gateway_via_dhcp = DISABLED
Mar 25 18:43:45 openvpn[1917]: max_routes = 100
Mar 25 18:43:45 openvpn[1917]: allow_pull_fqdn = DISABLED
Mar 25 18:43:45 openvpn[1917]: [redirect_default_gateway local=0]
Mar 25 18:43:45 openvpn[1917]: management_addr = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: management_port = 0
Mar 25 18:43:45 openvpn[1917]: management_user_pass = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: management_log_history_cache = 250
Mar 25 18:43:45 openvpn[1917]: management_echo_buffer_size = 100
Mar 25 18:43:45 openvpn[1917]: management_write_peer_info_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: management_client_user = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: management_client_group = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: management_flags = 0
Mar 25 18:43:45 openvpn[1917]: shared_secret_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: key_direction = 0
Mar 25 18:43:45 openvpn[1917]: ciphername_defined = ENABLED
Mar 25 18:43:45 openvpn[1917]: ciphername = 'AES-128-CBC'
Mar 25 18:43:45 openvpn[1917]: authname_defined = ENABLED
Mar 25 18:43:45 openvpn[1917]: authname = 'SHA1'
Mar 25 18:43:45 openvpn[1917]: prng_hash = 'SHA1'
Mar 25 18:43:45 openvpn[1917]: prng_nonce_secret_len = 16
Mar 25 18:43:45 openvpn[1917]: keysize = 0
Mar 25 18:43:45 openvpn[1917]: engine = DISABLED
Mar 25 18:43:45 openvpn[1917]: replay = ENABLED
Mar 25 18:43:45 openvpn[1917]: mute_replay_warnings = DISABLED
Mar 25 18:43:45 openvpn[1917]: replay_window = 64
Mar 25 18:43:45 openvpn[1917]: replay_time = 15
Mar 25 18:43:45 openvpn[1917]: packet_id_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: use_iv = ENABLED
Mar 25 18:43:45 openvpn[1917]: test_crypto = DISABLED
Mar 25 18:43:45 openvpn[1917]: tls_server = DISABLED
Mar 25 18:43:45 openvpn[1917]: tls_client = ENABLED
Mar 25 18:43:45 openvpn[1917]: key_method = 2
Mar 25 18:43:45 openvpn[1917]: ca_file = 'ca.crt'
Mar 25 18:43:45 openvpn[1917]: ca_path = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: dh_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: cert_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: priv_key_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: pkcs12_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: cipher_list = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: tls_verify = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: tls_export_cert = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: verify_x509_type = 0
Mar 25 18:43:45 openvpn[1917]: verify_x509_name = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: crl_file = '[UNDEF]'

```
Mar 25 18:43:45 openvpn[1917]: ns_cert_type = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 160
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 136
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_ku[i] = 0
Mar 25 18:43:45 openvpn[1917]: remote_cert_eku = 'TLS Web Server
Authentication'
Mar 25 18:43:45 openvpn[1917]: ssl_flags = 0
Mar 25 18:43:45 openvpn[1917]: tls_timeout = 2
Mar 25 18:43:45 openvpn[1917]: renegotiate_bytes = 0
Mar 25 18:43:45 openvpn[1917]: renegotiate_packets = 0
Mar 25 18:43:45 openvpn[1917]: renegotiate_seconds = 1800
Mar 25 18:43:45 openvpn[1917]: handshake_window = 60
Mar 25 18:43:45 openvpn[1917]: transition_window = 3600
Mar 25 18:43:45 openvpn[1917]: single_session = DISABLED
Mar 25 18:43:45 openvpn[1917]: push_peer_info = DISABLED
Mar 25 18:43:45 openvpn[1917]: tls_exit = DISABLED
Mar 25 18:43:45 openvpn[1917]: tls_auth_file = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: server_network = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: server_netmask = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: server_network_ipv6 = ::
Mar 25 18:43:45 openvpn[1917]: server_netbits_ipv6 = 0
Mar 25 18:43:45 openvpn[1917]: server_bridge_ip = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: server_bridge_netmask = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: server_bridge_pool_start = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: server_bridge_pool_end = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: ifconfig_pool_defined = DISABLED
Mar 25 18:43:45 openvpn[1917]: ifconfig_pool_start = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: ifconfig_pool_end = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: ifconfig_pool_netmask = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: ifconfig_pool_persist_filename = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: ifconfig_pool_persist_refresh_freq = 600
Mar 25 18:43:45 openvpn[1917]: ifconfig_ipv6_pool_defined = DISABLED
Mar 25 18:43:45 openvpn[1917]: ifconfig_ipv6_pool_base = ::
Mar 25 18:43:45 openvpn[1917]: ifconfig_ipv6_pool_netbits = 0
Mar 25 18:43:45 openvpn[1917]: n_bcast_buf = 256
Mar 25 18:43:45 openvpn[1917]: tcp_queue_limit = 64
Mar 25 18:43:45 openvpn[1917]: real_hash_size = 256
```

Mar 25 18:43:45 openvpn[1917]: virtual_hash_size = 256
Mar 25 18:43:45 openvpn[1917]: client_connect_script = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: learn_address_script = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: client_disconnect_script = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: client_config_dir = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: ccd_exclusive = DISABLED
Mar 25 18:43:45 openvpn[1917]: tmp_dir = '/tmp'
Mar 25 18:43:45 openvpn[1917]: push_ifconfig_defined = DISABLED
Mar 25 18:43:45 openvpn[1917]: push_ifconfig_local = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: push_ifconfig_remote_netmask = 0.0.0.0
Mar 25 18:43:45 openvpn[1917]: push_ifconfig_ipv6_defined = DISABLED
Mar 25 18:43:45 openvpn[1917]: push_ifconfig_ipv6_local = ::/0
Mar 25 18:43:45 openvpn[1917]: push_ifconfig_ipv6_remote = ::
Mar 25 18:43:45 openvpn[1917]: enable_c2c = DISABLED
Mar 25 18:43:45 openvpn[1917]: duplicate_cn = DISABLED
Mar 25 18:43:45 openvpn[1917]: cf_max = 0
Mar 25 18:43:45 openvpn[1917]: cf_per = 0
Mar 25 18:43:45 openvpn[1917]: max_clients = 1024
Mar 25 18:43:45 openvpn[1917]: max_routes_per_client = 256
Mar 25 18:43:45 openvpn[1917]: auth_user_pass_verify_script = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: auth_user_pass_verify_script_via_file =
DISABLED
Mar 25 18:43:45 openvpn[1917]: port_share_host = '[UNDEF]'
Mar 25 18:43:45 openvpn[1917]: port_share_port = 0
Mar 25 18:43:45 openvpn[1917]: client = ENABLED
Mar 25 18:43:45 openvpn[1917]: pull = ENABLED
Mar 25 18:43:45 openvpn[1917]: auth_user_pass_file = 'up'
Mar 25 18:43:45 openvpn[1917]: OpenVPN 2.3.6 arm-unknown-linux-gnu [SSL
(OpenSSL)] [LZO] [EPOLL] [MH] [IPv6] built on Mar 6 2015
Mar 25 18:43:45 openvpn[1917]: library versions: OpenSSL 1.0.0q 15 Jan 2015,
LZO 2.08
Mar 25 18:43:45 openvpn[1917]: NOTE: the current --script-security setting may
allow this configuration to call user-defined scripts
Mar 25 18:43:46 openvpn[1917]: LZO compression initialized
Mar 25 18:43:46 openvpn[1917]: Control Channel MTU parms [L:1558 D:138 EF:38
EB:0 ET:0 EL:0]
Mar 25 18:43:46 openvpn[1917]: Socket Buffers: R=[122880->131072] S=[122880-
>131072]
Mar 25 18:43:46 openvpn[1917]: Data Channel MTU parms [L:1558 D:1450 EF:58
EB:135 ET:0 EL:0 AF:3/1]
Mar 25 18:43:46 openvpn[1917]: Local Options String: 'V4,dev-type tun,link-mtu
1558,tun-mtu 1500,proto UDPv4,comp-lzo,cipher AES-128-CBC,auth SHA1,keysize
128,key-method 2,tls-client'
Mar 25 18:43:46 openvpn[1917]: Expected Remote Options String: 'V4,dev-type
tun,link-mtu 1558,tun-mtu 1500,proto UDPv4,comp-lzo,cipher AES-128-CBC,auth
SHA1,keysize 128,key-method 2,tls-server'
Mar 25 18:43:46 openvpn[1917]: Local Options hash (VER=V4): '66096c33'
Mar 25 18:43:46 openvpn[1917]: Expected Remote Options hash (VER=V4):
'691e95c7'
Mar 25 18:43:46 openvpn[1918]: UDPv4 link local: [undef]

Mar 25 18:43:46 openvpn[1918]: UDPv4 link remote:
[AF_INET]91.108.183.178:1194
Mar 25 18:43:46 openvpn[1918]: TLS: Initial packet from
[AF_INET]91.108.183.178:1194, sid=06b9937a 9ca59e92
Mar 25 18:43:46 openvpn[1918]: WARNING: this configuration may cache
passwords in memory -- use the auth-nocache option to prevent this
Mar 25 18:43:46 openvpn[1918]: VERIFY OK: depth=1, C=US, ST=OH,
L=Columbus, O=Private Internet Access, CN=Private Internet Access CA,
emailAddress=secure@privateinternetaccess.com
Mar 25 18:43:46 openvpn[1918]: Validating certificate key usage
Mar 25 18:43:46 openvpn[1918]: ++ Certificate has key usage 00a0, expects 00a0
Mar 25 18:43:46 openvpn[1918]: VERIFY KU OK
Mar 25 18:43:46 openvpn[1918]: Validating certificate extended key usage
Mar 25 18:43:46 openvpn[1918]: ++ Certificate has EKU (str) TLS Web Server
Authentication, expects TLS Web Server Authentication
Mar 25 18:43:46 openvpn[1918]: VERIFY EKU OK
Mar 25 18:43:46 openvpn[1918]: VERIFY OK: depth=0, C=US, ST=CA,
L=LosAngeles, O=Private Internet Access, OU=Private Internet Access, CN=Private
Internet Access, name=Private Internet Access,
emailAddress=secure@privateinternetaccess.com
Mar 25 18:43:47 openvpn[1918]: WARNING: 'link-mtu' is used inconsistently,
local='link-mtu 1558', remote='link-mtu 1542'
Mar 25 18:43:47 openvpn[1918]: WARNING: 'cipher' is used inconsistently,
local='cipher AES-128-CBC', remote='cipher BF-CBC'
Mar 25 18:43:47 openvpn[1918]: Data Channel Encrypt: Cipher 'AES-128-CBC'
initialized with 128 bit key
Mar 25 18:43:47 openvpn[1918]: Data Channel Encrypt: Using 160 bit message
hash 'SHA1' for HMAC authentication
Mar 25 18:43:47 openvpn[1918]: Data Channel Decrypt: Cipher 'AES-128-CBC'
initialized with 128 bit key
Mar 25 18:43:47 openvpn[1918]: Data Channel Decrypt: Using 160 bit message
hash 'SHA1' for HMAC authentication
Mar 25 18:43:47 openvpn[1918]: Control Channel: TLSv1, cipher TLSv1/SSLv3
DHE-RSA-AES256-SHA, 2048 bit RSA
Mar 25 18:43:47 openvpn[1918]: [Private Internet Access] Peer Connection Initiated
with [AF_INET]91.108.183.178:1194
Mar 25 18:43:49 openvpn[1918]: SENT CONTROL [Private Internet Access]:
'PUSH_REQUEST' (status=1)
Mar 25 18:43:49 openvpn[1918]: PUSH: Received control message:
'PUSH_REPLY,redirect-gateway def1,dhcp-option DNS 209.222.18.222,dhcp-option
DNS 209.222.18.218,ping 10,comp-lzo no,route 10.192.1.1,topology net30,ifconfig
10.192.1.6 10.192.1.5'
Mar 25 18:43:49 openvpn[1918]: OPTIONS IMPORT: timers and/or timeouts
modified
Mar 25 18:43:49 openvpn[1918]: OPTIONS IMPORT: LZO parms modified
Mar 25 18:43:49 openvpn[1918]: OPTIONS IMPORT: --ifconfig/up options modified
Mar 25 18:43:49 openvpn[1918]: OPTIONS IMPORT: route options modified
Mar 25 18:43:49 openvpn[1918]: OPTIONS IMPORT: --ip-win32 and/or --dhcp-option
options modified
Mar 25 18:43:49 openvpn[1918]: TUN/TAP device tun11 opened

Mar 25 18:43:49 openvpn[1918]: TUN/TAP TX queue length set to 100
Mar 25 18:43:49 openvpn[1918]: do_ifconfig, tt->ipv6=0, tt->did_ifconfig_ipv6_setup=0
Mar 25 18:43:49 openvpn[1918]: /usr/sbin/ip link set dev tun11 up mtu 1500
Mar 25 18:43:49 openvpn[1918]: /usr/sbin/ip addr add dev tun11 local 10.192.1.6 peer 10.192.1.5
Mar 25 18:43:49 openvpn[1918]: updown.sh tun11 1500 1558 10.192.1.6 10.192.1.5 init
Mar 25 18:43:50 rc_service: service 1960:notify_rc updateresolv
Mar 25 18:43:50 dnsmasq[1899]: exiting on receipt of SIGTERM
Mar 25 18:43:50 openvpn[1918]: /usr/sbin/ip route add 91.108.183.178/32 via xxx.x.x.x.x (my IP deleted)
Mar 25 18:43:50 openvpn[1918]: /usr/sbin/ip route add 0.0.0.0/1 via 10.192.1.5
Mar 25 18:43:50 openvpn[1918]: /usr/sbin/ip route add 128.0.0.0/1 via 10.192.1.5
Mar 25 18:43:50 openvpn[1918]: /usr/sbin/ip route add 10.192.1.1/32 via 10.192.1.5
Mar 25 18:43:50 openvpn[1918]: Initialization Sequence Completed
Mar 25 18:43:50 dnsmasq[1972]: started, version 2.73test6 cachesize 1500
Mar 25 18:43:50 dnsmasq[1972]: warning: interface ppp1* does not currently exist
Mar 25 18:43:50 dnsmasq[1972]: asynchronous logging enabled, queue limit is 5 messages
Mar 25 18:43:50 dnsmasq-dhcp[1972]: DHCP, IP range 192.168.0.2 -- 192.168.0.254, lease time 1d
Mar 25 18:43:50 dnsmasq[1972]: read /etc/hosts - 5 addresses
Mar 25 18:43:50 dnsmasq[1972]: using nameserver 194.239.134.83#53 for domain local
Mar 25 18:43:50 dnsmasq[1972]: using nameserver 194.239.134.83#53 for domain webspeed.dk
Mar 25 18:43:50 dnsmasq[1972]: using nameserver 193.162.153.164#53 for domain local
Mar 25 18:43:50 dnsmasq[1972]: using nameserver 193.162.153.164#53 for domain webspeed.dk
Mar 25 18:43:50 dnsmasq[1972]: using nameserver 209.222.18.222#53
Mar 25 18:43:50 dnsmasq[1972]: using nameserver 209.222.18.218#53
Mar 25 18:43:50 dnsmasq[1972]: using nameserver 193.162.153.164#53
Mar 25 18:43:50 dnsmasq[1972]: using nameserver 194.239.134.83#53
Mar 25 18:43:59 openvpn[1918]: Authenticate/Decrypt packet error: cipher final failed
Mar 25 18:44:09 openvpn[1918]: Authenticate/Decrypt packet error: cipher final failed
Mar 25 18:44:19 openvpn[1918]: Authenticate/Decrypt packet error: cipher final failed
Mar 25 18:44:29 openvpn[1918]: Authenticate/Decrypt packet error: cipher final failed
Mar 25 18:44:39 openvpn[1918]: Authenticate/Decrypt packet error: cipher final failed
Mar 25 18:44:49 openvpn[1918]: Authenticate/Decrypt packet error: cipher final failed
Mar 25 18:44:55 openvpn[1918]: event_wait : Interrupted system call (code=4)
Mar 25 18:44:55 openvpn[1918]: OpenVPN STATISTICS
Mar 25 18:44:55 openvpn[1918]: Updated,Wed Mar 25 18:44:55 2015

Mar 25 18:44:55 openvpn[1918]: TUN/TAP read bytes,11244
Mar 25 18:44:55 openvpn[1918]: TUN/TAP write bytes,0
Mar 25 18:44:55 openvpn[1918]: TCP/UDP read bytes,4841
Mar 25 18:44:55 openvpn[1918]: TCP/UDP write bytes,22518
Mar 25 18:44:55 openvpn[1918]: Auth read bytes,0
Mar 25 18:44:55 openvpn[1918]: pre-compress bytes,0
Mar 25 18:44:55 openvpn[1918]: post-compress bytes,0
Mar 25 18:44:55 openvpn[1918]: pre-decompress bytes,0
Mar 25 18:44:55 openvpn[1918]: post-decompress bytes,0
Mar 25 18:44:55 openvpn[1918]: END
Mar 25 18:44:59 openvpn[1918]: Authenticate/Decrypt packet error: cipher final failed
Mar 25 18:45:01 rc_service: httpd 597:notify_rc stop_vpnclient1
Mar 25 18:45:02 openvpn[1918]: event_wait : Interrupted system call (code=4)
Mar 25 18:45:03 openvpn[1918]: TCP/UDP: Closing socket
Mar 25 18:45:03 openvpn[1918]: /usr/sbin/ip route del 10.192.1.1/32
Mar 25 18:45:03 openvpn[1918]: /usr/sbin/ip route del 91.108.183.178/32
Mar 25 18:45:03 openvpn[1918]: /usr/sbin/ip route del 0.0.0.0/1
Mar 25 18:45:03 openvpn[1918]: /usr/sbin/ip route del 128.0.0.0/1
Mar 25 18:45:03 openvpn[1918]: Closing TUN/TAP interface
Mar 25 18:45:03 openvpn[1918]: /usr/sbin/ip addr del dev tun11 local 10.192.1.6 peer 10.192.1.5
Mar 25 18:45:03 openvpn[1918]: updown.sh tun11 1500 1558 10.192.1.6 10.192.1.5 init
Mar 25 18:45:03 rc_service: service 2018:notify_rc updateresolv
Mar 25 18:45:03 rc_service: waiting "stop_vpnclient1" via httpd ...
Mar 25 18:45:05 dnsmasq[1972]: read /etc/hosts - 5 addresses
Mar 25 18:45:05 dnsmasq[1972]: using nameserver 194.239.134.83#53 for domain local
Mar 25 18:45:05 dnsmasq[1972]: using nameserver 194.239.134.83#53 for domain webspeed.dk
Mar 25 18:45:05 dnsmasq[1972]: using nameserver 193.162.153.164#53 for domain local
Mar 25 18:45:05 dnsmasq[1972]: using nameserver 193.162.153.164#53 for domain webspeed.dk
Mar 25 18:45:05 dnsmasq[1972]: using nameserver 193.162.153.164#53
Mar 25 18:45:05 dnsmasq[1972]: using nameserver 194.239.134.83#53
Mar 25 18:45:05 rc_service: service 2043:notify_rc restart_dnsmasq
Mar 25 18:45:06 dnsmasq[1972]: exiting on receipt of SIGTERM
Mar 25 18:45:06 dnsmasq[2052]: started, version 2.73test6 cachesize 1500
Mar 25 18:45:06 dnsmasq[2052]: warning: interface ppp1* does not currently exist
Mar 25 18:45:06 dnsmasq[2052]: asynchronous logging enabled, queue limit is 5 messages
Mar 25 18:45:06 dnsmasq-dhcp[2052]: DHCP, IP range 192.168.0.2 -- 192.168.0.254, lease time 1d
Mar 25 18:45:06 dnsmasq[2052]: read /etc/hosts - 5 addresses
Mar 25 18:45:06 dnsmasq[2052]: using nameserver 194.239.134.83#53 for domain local
Mar 25 18:45:06 dnsmasq[2052]: using nameserver 194.239.134.83#53 for domain webspeed.dk

Mar 25 18:45:06 dnsmasq[2052]: using nameserver 193.162.153.164#53 for domain local

Mar 25 18:45:06 dnsmasq[2052]: using nameserver 193.162.153.164#53 for domain webspeed.dk

Mar 25 18:45:06 dnsmasq[2052]: using nameserver 193.162.153.164#53

Mar 25 18:45:06 dnsmasq[2052]: using nameserver 194.239.134.83#53

Mar 25 18:46:03 rc_service: httpd 597:notify_rc start_vpnclient1

Mar 25 18:46:04 kernel: tun: Universal TUN/TAP device driver, 1.6

Mar 25 18:46:04 kernel: tun: (C) 1999-2004 Max Krasnyansky
<maxk@qualcomm.com>

Mar 25 18:46:05 openvpn[2070]: Current Parameter Settings:

Mar 25 18:46:05 openvpn[2070]: config = 'config.ovpn'

Mar 25 18:46:05 openvpn[2070]: mode = 0

Mar 25 18:46:05 openvpn[2070]: persist_config = DISABLED

Mar 25 18:46:05 openvpn[2070]: persist_mode = 1

Mar 25 18:46:05 openvpn[2070]: show_ciphers = DISABLED

Mar 25 18:46:05 openvpn[2070]: show_digests = DISABLED

Mar 25 18:46:05 openvpn[2070]: show_engines = DISABLED

Mar 25 18:46:05 openvpn[2070]: genkey = DISABLED

Mar 25 18:46:05 openvpn[2070]: key_pass_file = '[UNDEF]'

Mar 25 18:46:05 openvpn[2070]: show_tls_ciphers = DISABLED

Mar 25 18:46:05 openvpn[2070]: Connection profiles [default]:

Mar 25 18:46:05 openvpn[2070]: proto = udp

Mar 25 18:46:05 openvpn[2070]: local = '[UNDEF]'

Mar 25 18:46:05 openvpn[2070]: local_port = 0

Mar 25 18:46:05 openvpn[2070]: remote = 'nl.privateinternetaccess.com'

Mar 25 18:46:05 openvpn[2070]: remote_port = 1194

Mar 25 18:46:05 openvpn[2070]: remote_float = DISABLED

Mar 25 18:46:05 openvpn[2070]: bind_defined = DISABLED

Mar 25 18:46:05 openvpn[2070]: bind_local = DISABLED

Mar 25 18:46:05 openvpn[2070]: connect_retry_seconds = 5

Mar 25 18:46:05 openvpn[2070]: connect_timeout = 10

Mar 25 18:46:05 openvpn[2070]: connect_retry_max = 0

Mar 25 18:46:05 openvpn[2070]: tun_mtu = 1500

Mar 25 18:46:05 openvpn[2070]: tun_mtu_defined = ENABLED

Mar 25 18:46:05 openvpn[2070]: link_mtu = 1500

Mar 25 18:46:05 openvpn[2070]: link_mtu_defined = DISABLED

Mar 25 18:46:05 openvpn[2070]: tun_mtu_extra = 0

Mar 25 18:46:05 openvpn[2070]: tun_mtu_extra_defined = DISABLED

Mar 25 18:46:05 openvpn[2070]: mtu_discover_type = 1

Mar 25 18:46:05 openvpn[2070]: fragment = 0

Mar 25 18:46:05 openvpn[2070]: mssfix = 1450

Mar 25 18:46:05 openvpn[2070]: explicit_exit_notification = 0

Mar 25 18:46:05 openvpn[2070]: Connection profiles END

Mar 25 18:46:05 openvpn[2070]: remote_random = DISABLED

Mar 25 18:46:05 openvpn[2070]: ipchange = '[UNDEF]'

Mar 25 18:46:05 openvpn[2070]: dev = 'tun11'

Mar 25 18:46:05 openvpn[2070]: dev_type = '[UNDEF]'

Mar 25 18:46:05 openvpn[2070]: dev_node = '[UNDEF]'

Mar 25 18:46:05 openvpn[2070]: lladdr = '[UNDEF]'

Mar 25 18:46:05 openvpn[2070]: topology = 1
Mar 25 18:46:05 openvpn[2070]: tun_ipv6 = DISABLED
Mar 25 18:46:05 openvpn[2070]: ifconfig_local = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: ifconfig_remote_netmask = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: ifconfig_noexec = DISABLED
Mar 25 18:46:05 openvpn[2070]: ifconfig_nowarn = DISABLED
Mar 25 18:46:05 openvpn[2070]: ifconfig_ipv6_local = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: ifconfig_ipv6_netbits = 0
Mar 25 18:46:05 openvpn[2070]: ifconfig_ipv6_remote = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: shaper = 0
Mar 25 18:46:05 openvpn[2070]: mtu_test = 0
Mar 25 18:46:05 openvpn[2070]: mlock = DISABLED
Mar 25 18:46:05 openvpn[2070]: keepalive_ping = 0
Mar 25 18:46:05 openvpn[2070]: keepalive_timeout = 0
Mar 25 18:46:05 openvpn[2070]: inactivity_timeout = 0
Mar 25 18:46:05 openvpn[2070]: ping_send_timeout = 0
Mar 25 18:46:05 openvpn[2070]: ping_rec_timeout = 0
Mar 25 18:46:05 openvpn[2070]: ping_rec_timeout_action = 0
Mar 25 18:46:05 openvpn[2070]: ping_timer_remote = DISABLED
Mar 25 18:46:05 openvpn[2070]: remap_sigusr1 = 0
Mar 25 18:46:05 openvpn[2070]: persist_tun = ENABLED
Mar 25 18:46:05 openvpn[2070]: persist_local_ip = DISABLED
Mar 25 18:46:05 openvpn[2070]: persist_remote_ip = DISABLED
Mar 25 18:46:05 openvpn[2070]: persist_key = ENABLED
Mar 25 18:46:05 openvpn[2070]: passtos = DISABLED
Mar 25 18:46:05 openvpn[2070]: resolve_retry_seconds = 1000000000
Mar 25 18:46:05 openvpn[2070]: username = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: groupname = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: chroot_dir = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: cd_dir = '/etc/openvpn/client1'
Mar 25 18:46:05 openvpn[2070]: writepid = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: up_script = 'updown.sh'
Mar 25 18:46:05 openvpn[2070]: down_script = 'updown.sh'
Mar 25 18:46:05 openvpn[2070]: down_pre = DISABLED
Mar 25 18:46:05 openvpn[2070]: up_restart = DISABLED
Mar 25 18:46:05 openvpn[2070]: up_delay = DISABLED
Mar 25 18:46:05 openvpn[2070]: daemon = ENABLED
Mar 25 18:46:05 openvpn[2070]: inetd = 0
Mar 25 18:46:05 openvpn[2070]: log = DISABLED
Mar 25 18:46:05 openvpn[2070]: suppress_timestamps = DISABLED
Mar 25 18:46:05 openvpn[2070]: nice = 0
Mar 25 18:46:05 openvpn[2070]: verbosity = 4
Mar 25 18:46:05 openvpn[2070]: mute = 0
Mar 25 18:46:05 openvpn[2070]: status_file = 'status'
Mar 25 18:46:05 openvpn[2070]: status_file_version = 2
Mar 25 18:46:05 openvpn[2070]: status_file_update_freq = 60
Mar 25 18:46:05 openvpn[2070]: occ = ENABLED
Mar 25 18:46:05 openvpn[2070]: rcvbuf = 65536
Mar 25 18:46:05 openvpn[2070]: sndbuf = 65536
Mar 25 18:46:05 openvpn[2070]: mark = 0

Mar 25 18:46:05 openvpn[2070]: sockflags = 0
Mar 25 18:46:05 openvpn[2070]: fast_io = ENABLED
Mar 25 18:46:05 openvpn[2070]: lzo = 7
Mar 25 18:46:05 openvpn[2070]: route_script = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: route_default_gateway = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: route_default_metric = 0
Mar 25 18:46:05 openvpn[2070]: route_noexec = DISABLED
Mar 25 18:46:05 openvpn[2070]: route_delay = 0
Mar 25 18:46:05 openvpn[2070]: route_delay_window = 30
Mar 25 18:46:05 openvpn[2070]: route_delay_defined = DISABLED
Mar 25 18:46:05 openvpn[2070]: route_nopull = DISABLED
Mar 25 18:46:05 openvpn[2070]: route_gateway_via_dhcp = DISABLED
Mar 25 18:46:05 openvpn[2070]: max_routes = 100
Mar 25 18:46:05 openvpn[2070]: allow_pull_fqdn = DISABLED
Mar 25 18:46:05 openvpn[2070]: [redirect_default_gateway local=0]
Mar 25 18:46:05 openvpn[2070]: management_addr = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: management_port = 0
Mar 25 18:46:05 openvpn[2070]: management_user_pass = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: management_log_history_cache = 250
Mar 25 18:46:05 openvpn[2070]: management_echo_buffer_size = 100
Mar 25 18:46:05 openvpn[2070]: management_write_peer_info_file = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: management_client_user = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: management_client_group = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: management_flags = 0
Mar 25 18:46:05 openvpn[2070]: shared_secret_file = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: key_direction = 0
Mar 25 18:46:05 openvpn[2070]: ciphername_defined = ENABLED
Mar 25 18:46:05 openvpn[2070]: ciphername = 'AES-128-CBC'
Mar 25 18:46:05 openvpn[2070]: authname_defined = ENABLED
Mar 25 18:46:05 openvpn[2070]: authname = 'SHA1'
Mar 25 18:46:05 openvpn[2070]: prng_hash = 'SHA1'
Mar 25 18:46:05 openvpn[2070]: prng_nonce_secret_len = 16
Mar 25 18:46:05 openvpn[2070]: keysize = 0
Mar 25 18:46:05 openvpn[2070]: engine = DISABLED
Mar 25 18:46:05 openvpn[2070]: replay = ENABLED
Mar 25 18:46:05 openvpn[2070]: mute_replay_warnings = DISABLED
Mar 25 18:46:05 openvpn[2070]: replay_window = 64
Mar 25 18:46:05 openvpn[2070]: replay_time = 15
Mar 25 18:46:05 openvpn[2070]: packet_id_file = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: use_iv = ENABLED
Mar 25 18:46:05 openvpn[2070]: test_crypto = DISABLED
Mar 25 18:46:05 openvpn[2070]: tls_server = DISABLED
Mar 25 18:46:05 openvpn[2070]: tls_client = ENABLED
Mar 25 18:46:05 openvpn[2070]: key_method = 2
Mar 25 18:46:05 openvpn[2070]: ca_file = 'ca.crt'
Mar 25 18:46:05 openvpn[2070]: ca_path = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: dh_file = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: cert_file = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: priv_key_file = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: pkcs12_file = '[UNDEF]'

Mar 25 18:46:05 openvpn[2070]: cipher_list = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: tls_verify = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: tls_export_cert = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: verify_x509_type = 0
Mar 25 18:46:05 openvpn[2070]: verify_x509_name = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: crl_file = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: ns_cert_type = 0
Mar 25 18:46:05 openvpn[2070]: remote_cert_ku[i] = 160
Mar 25 18:46:05 openvpn[2070]: remote_cert_ku[i] = 136
Mar 25 18:46:05 openvpn[2070]: remote_cert_ku[i] = 0
Mar 25 18:46:05 openvpn[2070]: remote_cert_ku[i] = 0
Mar 25 18:46:05 openvpn[2070]: remote_cert_ku[i] = 0
Mar 25 18:46:05 openvpn[2070]: virtual_hash_size = 256
Mar 25 18:46:05 openvpn[2070]: client_connect_script = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: learn_address_script = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: client_disconnect_script = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: client_config_dir = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: ccd_exclusive = DISABLED
Mar 25 18:46:05 openvpn[2070]: tmp_dir = '/tmp'
Mar 25 18:46:05 openvpn[2070]: push_ifconfig_defined = DISABLED
Mar 25 18:46:05 openvpn[2070]: push_ifconfig_local = 0.0.0.0
Mar 25 18:46:05 openvpn[2070]: push_ifconfig_remote_netmask = 0.0.0.0
Mar 25 18:46:05 openvpn[2070]: push_ifconfig_ipv6_defined = DISABLED
Mar 25 18:46:05 openvpn[2070]: push_ifconfig_ipv6_local = ::/0
Mar 25 18:46:05 openvpn[2070]: push_ifconfig_ipv6_remote = ::
Mar 25 18:46:05 openvpn[2070]: enable_c2c = DISABLED
Mar 25 18:46:05 openvpn[2070]: duplicate_cn = DISABLED
Mar 25 18:46:05 openvpn[2070]: cf_max = 0
Mar 25 18:46:05 openvpn[2070]: cf_per = 0
Mar 25 18:46:05 openvpn[2070]: max_clients = 1024
Mar 25 18:46:05 openvpn[2070]: max_routes_per_client = 256
Mar 25 18:46:05 openvpn[2070]: auth_user_pass_verify_script = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: auth_user_pass_verify_script_via_file =
DISABLED
Mar 25 18:46:05 openvpn[2070]: port_share_host = '[UNDEF]'
Mar 25 18:46:05 openvpn[2070]: port_share_port = 0
Mar 25 18:46:05 openvpn[2070]: client = ENABLED
Mar 25 18:46:05 openvpn[2070]: pull = ENABLED
Mar 25 18:46:05 openvpn[2070]: auth_user_pass_file = 'up'
Mar 25 18:46:05 openvpn[2070]: OpenVPN 2.3.6 arm-unknown-linux-gnu [SSL
(OpenSSL)] [LZO] [EPOLL] [MH] [IPv6] built on Mar 6 2015
Mar 25 18:46:05 openvpn[2070]: library versions: OpenSSL 1.0.0q 15 Jan 2015,
LZO 2.08
Mar 25 18:46:05 openvpn[2070]: NOTE: the current --script-security setting may
allow this configuration to call user-defined scripts
Mar 25 18:46:05 openvpn[2070]: LZO compression initialized
Mar 25 18:46:05 openvpn[2070]: Control Channel MTU parms [L:1558 D:138 EF:38
EB:0 ET:0 EL:0]
Mar 25 18:46:05 openvpn[2070]: Socket Buffers: R=[122880->131072] S=[122880-
>131072]

Mar 25 18:46:05 openvpn[2070]: Data Channel MTU parms [L:1558 D:1450 EF:58 EB:135 ET:0 EL:0 AF:3/1]

Mar 25 18:46:05 openvpn[2070]: Local Options String: 'V4,dev-type tun,link-mtu 1558,tun-mtu 1500,proto UDPv4,comp-lzo,cipher AES-128-CBC,auth SHA1,keysize 128,key-method 2,tls-client'

Mar 25 18:46:05 openvpn[2070]: Expected Remote Options String: 'V4,dev-type tun,link-mtu 1558,tun-mtu 1500,proto UDPv4,comp-lzo,cipher AES-128-CBC,auth SHA1,keysize 128,key-method 2,tls-server'

Mar 25 18:46:05 openvpn[2070]: Local Options hash (VER=V4): '66096c33'

Mar 25 18:46:05 openvpn[2070]: Expected Remote Options hash (VER=V4): '691e95c7'

Mar 25 18:46:05 openvpn[2071]: UDPv4 link local: [undef]

Mar 25 18:46:05 openvpn[2071]: UDPv4 link remote: [AF_INET]109.201.152.13:1194

Mar 25 18:46:05 openvpn[2071]: TLS: Initial packet from [AF_INET]109.201.152.13:1194, sid=72bc67e4 f7473cd7

Mar 25 18:46:05 openvpn[2071]: WARNING: this configuration may cache passwords in memory -- use the auth-nocache option to prevent this

Mar 25 18:46:06 openvpn[2071]: VERIFY OK: depth=1, C=US, ST=OH, L=Columbus, O=Private Internet Access, CN=Private Internet Access CA, emailAddress=secure@privateinternetaccess.com

Mar 25 18:46:06 openvpn[2071]: Validating certificate key usage

Mar 25 18:46:06 openvpn[2071]: ++ Certificate has key usage 00a0, expects 00a0

Mar 25 18:46:06 openvpn[2071]: VERIFY KU OK

Mar 25 18:46:06 openvpn[2071]: Validating certificate extended key usage

Mar 25 18:46:06 openvpn[2071]: ++ Certificate has EKU (str) TLS Web Server Authentication, expects TLS Web Server Authentication

Mar 25 18:46:06 openvpn[2071]: VERIFY EKU OK

Mar 25 18:46:06 openvpn[2071]: VERIFY OK: depth=0, C=US, ST=CA, L=LosAngeles, O=Private Internet Access, OU=Private Internet Access, CN=Private Internet Access, name=Private Internet Access, emailAddress=secure@privateinternetaccess.com

Mar 25 18:46:06 openvpn[2071]: WARNING: 'link-mtu' is used inconsistently, local='link-mtu 1558', remote='link-mtu 1542'

Mar 25 18:46:06 openvpn[2071]: WARNING: 'cipher' is used inconsistently, local='cipher AES-128-CBC', remote='cipher BF-CBC'

Mar 25 18:46:06 openvpn[2071]: Data Channel Encrypt: Cipher 'AES-128-CBC' initialized with 128 bit key

Mar 25 18:46:06 openvpn[2071]: Data Channel Encrypt: Using 160 bit message hash 'SHA1' for HMAC authentication

Mar 25 18:46:06 openvpn[2071]: Data Channel Decrypt: Cipher 'AES-128-CBC' initialized with 128 bit key

Mar 25 18:46:06 openvpn[2071]: Data Channel Decrypt: Using 160 bit message hash 'SHA1' for HMAC authentication

Mar 25 18:46:06 openvpn[2071]: Control Channel: TLSv1, cipher TLSv1/SSLv3 DHE-RSA-AES256-SHA, 2048 bit RSA

Mar 25 18:46:06 openvpn[2071]: [Private Internet Access] Peer Connection Initiated with [AF_INET]109.201.152.13:1194

Mar 25 18:46:08 openvpn[2071]: SENT CONTROL [Private Internet Access]: 'PUSH_REQUEST' (status=1)

Mar 25 18:46:08 openvpn[2071]: PUSH: Received control message:
'PUSH_REPLY,redirect-gateway def1,dhcp-option DNS 209.222.18.222,dhcp-option
DNS 209.222.18.218,ping 10,comp-lzo no,route 10.127.1.1,topology net30,ifconfig
10.127.1.6 10.127.1.5'

Mar 25 18:46:08 openvpn[2071]: OPTIONS IMPORT: timers and/or timeouts
modified

Mar 25 18:46:08 openvpn[2071]: OPTIONS IMPORT: LZO parms modified

Mar 25 18:46:08 openvpn[2071]: OPTIONS IMPORT: --ifconfig/up options modified

Mar 25 18:46:08 openvpn[2071]: OPTIONS IMPORT: route options modified

Mar 25 18:46:08 openvpn[2071]: OPTIONS IMPORT: --ip-win32 and/or --dhcp-option
options modified

Mar 25 18:46:08 openvpn[2071]: TUN/TAP device tun11 opened

Mar 25 18:46:08 openvpn[2071]: TUN/TAP TX queue length set to 100

Mar 25 18:46:08 openvpn[2071]: do_ifconfig, tt->ipv6=0, tt-
>did_ifconfig_ipv6_setup=0

Mar 25 18:46:08 openvpn[2071]: /usr/sbin/ip link set dev tun11 up mtu 1500

Mar 25 18:46:09 openvpn[2071]: /usr/sbin/ip addr add dev tun11 local 10.127.1.6
peer 10.127.1.5

Mar 25 18:46:09 openvpn[2071]: updown.sh tun11 1500 1558 10.127.1.6 10.127.1.5
init

Mar 25 18:46:09 rc_service: service 2113:notify_rc updateresolv

Mar 25 18:46:09 dnsmasq[2052]: exiting on receipt of SIGTERM

Mar 25 18:46:09 openvpn[2071]: /usr/sbin/ip route add 109.201.152.13/32 via MY IP
DELETED

Mar 25 18:46:09 openvpn[2071]: /usr/sbin/ip route add 0.0.0.0/1 via 10.127.1.5

Mar 25 18:46:09 openvpn[2071]: /usr/sbin/ip route add 128.0.0.0/1 via 10.127.1.5

Mar 25 18:46:09 openvpn[2071]: /usr/sbin/ip route add 10.127.1.1/32 via 10.127.1.5

Mar 25 18:46:09 openvpn[2071]: Initialization Sequence Completed

Mar 25 18:46:09 dnsmasq[2125]: started, version 2.73test6 cachesize 1500

Mar 25 18:46:09 dnsmasq[2125]: warning: interface ppp1* does not currently exist

Mar 25 18:46:09 dnsmasq[2125]: asynchronous logging enabled, queue limit is 5
messages

Mar 25 18:46:09 dnsmasq-dhcp[2125]: DHCP, IP range 192.168.0.2 --
192.168.0.254, lease time 1d

Mar 25 18:46:09 dnsmasq[2125]: read /etc/hosts - 5 addresses

Mar 25 18:46:09 dnsmasq[2125]: using nameserver 194.239.134.83#53 for domain
local

Mar 25 18:46:09 dnsmasq[2125]: using nameserver 194.239.134.83#53 for domain
webspeed.dk

Mar 25 18:46:09 dnsmasq[2125]: using nameserver 193.162.153.164#53 for domain
local

Mar 25 18:46:09 dnsmasq[2125]: using nameserver 193.162.153.164#53 for domain
webspeed.dk

Mar 25 18:46:09 dnsmasq[2125]: using nameserver 209.222.18.222#53

Mar 25 18:46:09 dnsmasq[2125]: using nameserver 209.222.18.218#53

Mar 25 18:46:09 dnsmasq[2125]: using nameserver 193.162.153.164#53

Mar 25 18:46:09 dnsmasq[2125]: using nameserver 194.239.134.83#53
[/code]